

1 数量総括表

数 量 総 括 表

| 工 種 | 種 別 | 細 別 | 規 格 | 単位 | 計算数値 | 設計数値 | 摘 要 |
|--------|-------|------------|-----------|----|-------|------|-----|
| 土 工 | | | | | | | |
| | 掘 削 工 | | | | | | |
| | | 片切掘削 | 礫質土 | m3 | 292.0 | 300 | |
| | | 表土 | 有機質土 | m3 | 84.0 | 80 | |
| | 盛 土 工 | | | | | | |
| | | 路体盛土 | W<2.5 | m3 | 0.0 | 0 | |
| | | | 2.5≤W<4.0 | m3 | 0.0 | 0 | |
| | | | 4.0≤W | m3 | 0.0 | 0 | |
| | | 路床盛土 | W<2.5 | m3 | 0.0 | 0 | |
| | | | 2.5≤W<4.0 | m3 | 28.8 | 30 | |
| | | | 4.0≤W | m3 | 61.4 | 60 | |
| | | 路肩盛土 | W<2.5 | m3 | 0.0 | 0 | |
| | | 路体外盛土 | W<2.5 | m3 | 14.8 | 10 | |
| | | | 2.5≤W<4.0 | m3 | 28.3 | 30 | |
| | | | 4.0≤W | m3 | 206.7 | 210 | |
| | 法面整形工 | | | | | | |
| | | 切土法面整形 | 礫質土 | m2 | 304.0 | 300 | |
| | | 盛土法面整形 | | m2 | 0.0 | 0 | |
| | 残土処分 | | | | | | |
| | | 残土処分 | 有機質土 | m3 | 84.0 | 80 | |
| | | | | | | | |
| 法面工 | | | | | | | |
| | 植生工 | | | | | | |
| | | 種子散布 | 切土法面部 | m2 | 296.6 | 300 | |
| | | 植生マット | 盛土法面部 | m2 | 0.0 | 0 | |
| | 防草工 | | | | | | |
| | | 1号防草コンクリート | | m | 0.0 | 0 | |
| | | 2号防草コンクリート | | m | 0.0 | 0 | |
| | | 3号防草コンクリート | | m | 0.0 | 0 | |
| | | | | | | | |
| ブロック積工 | | | | | | | |
| | 作業土工 | | | | | | |
| | | 床掘り | 礫質土 | m3 | 34.8 | 30 | |

数量総括表

| 工 種 | 種 別 | 細 別 | 規 格 | 単位 | 計算数値 | 設計数値 | 摘 要 |
|--------|-------------|-------------------|----------------------------|----|-------|------|-----|
| | | 埋戻し | 埋戻D | m3 | 6.6 | 10 | |
| | | 基面整正 | | m2 | 10.8 | 10 | |
| | | | | | | | |
| | コンクリートブロック工 | | | | | | |
| | | ブロック積擁壁(A) | 1:0.5 裏コン=10cm 切土 | m2 | 4.2 | 4 | |
| | | ブロック積擁壁(B) | 1:0.53 裏コン=15cm 切土 | m2 | 144.8 | 145 | |
| | | ブロック積擁壁(C) | 1:0.5 裏コン=20cm 切土 | m2 | 211.7 | 212 | |
| | | 環境保全型ブロック | 1:0.5 650型 壁体重量1.15t/m2 | m2 | 35.7 | 36 | |
| | | 1号基礎工 | B520-H300 | m | 6.0 | 6 | |
| | | 2号基礎工 | B550-H350 | m | 30.8 | 31 | |
| | | 3号基礎工 | B600-H400 | m | 31.0 | 31 | |
| | | 4号基礎工 | B700-H400 | m | 12.0 | 12 | |
| | | | | | | | |
| 排水構造物工 | | | | | | | |
| | 作業土工 | | | | | | |
| | | 床掘り | 礫質土 | m3 | 11.8 | 10 | |
| | | 埋戻し | 埋戻C | m3 | 0.0 | 0 | |
| | | | 埋戻D | m3 | 7.5 | 10 | |
| | | 基面整正 | | m2 | 10.1 | 10 | |
| | 側溝工 | | | | | | |
| | | L型側溝 | | m | 0.0 | 0 | |
| | | PU1-B300-H300 | | m | 0.0 | 0 | |
| | | アスカーブ | | m | 0.0 | 0 | |
| | 管渠工 | | | | | | |
| | | P1-RC1-D500 | | m | 0.0 | 0 | |
| | | P1-RC1-D600 | | m | 0.0 | 0 | |
| | | 重圧管φ300 | | m | 4.1 | 4 | |
| | 排水工 | | | | | | |
| | | 小段排水 | | m | 18.4 | 18 | |
| | | 1号たて溝 | | m | 10.8 | 11 | |
| | | 張コンクリート | | m2 | 22.8 | 23 | |
| | 集水樹工 | | | | | | |
| | | G1-B500-L500-H700 | | 箇所 | 1.0 | 1 | |

数 量 総 括 表

| 工 種 | 種 別 | 細 別 | 規 格 | 単位 | 計算数値 | 設計数値 | 摘 要 |
|---------|-----------|-------------------|------------------|----|------|------|-----|
| | | G2-B500-L500-H500 | | 箇所 | 2.0 | 2 | |
| | | G2-B700-L700-H800 | | 箇所 | 0.0 | 0 | |
| | | G2-B800-L800-H900 | | 箇所 | 0.0 | 0 | |
| | | | | | | | |
| 舗装工 | | | | | | | |
| | アスファルト舗装工 | | | | | | |
| | 車道舗装 | 表層 | 再生密粒度As t=4cm | m2 | 0.0 | 0 | |
| | | 上層路盤 | M-30 t=10cm | m2 | 0.0 | 0 | |
| | | 下層路盤 | RC-30 t=10cm | m2 | 0.0 | 0 | |
| | | | | | | | |
| 防護柵工 | | | | | | | |
| | 路側防護柵工 | | | | | | |
| | | Gr-C-2B | | m | 0.0 | 0 | |
| | | ガードレール基礎 | | m | 0.0 | 0 | |
| | | | | | | | |
| 道路付属施設工 | | | | | | | |
| | 道路付属物工 | | | | | | |
| | | ポストコーン | | 本 | 0.0 | 0 | |
| | | | | | | | |
| 構造物撤去工 | | | | | | | |
| | 構造物取壊し工 | | | | | | |
| | | コンクリート取壊し | 無筋構造物 | m3 | 1.2 | 1 | |
| | | 石積取壊し | 空積 控35cm | m2 | 0.0 | 0 | |
| | | 舗装版取壊し | アスファルト t=5cm | m2 | 0.0 | 0 | |
| | 運搬処理工 | | | | | | |
| | | 殻運搬処理 | コンクリート殻 | m3 | 1.2 | 1 | |
| | | | アスファルト殻 | m3 | 0.0 | 0 | |
| | | | 石材 | m3 | 0.0 | 0 | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

2 道路土工

道 路 土 工 数 量 集 計 表

[illegible]

土 量 配 分 表

発 生 土

| | |
|---------------|-------|
| オープン掘削（礫質土）＝ | 0.0 |
| 片切掘削（礫質土）＝ | 292.0 |
| 掘削（砂質土）合計：ΣC＝ | 292.0 |

340 / 0.9 = 377.8

流 用 土

| | |
|----------|-------|
| 路床盛土 | 90.2 |
| 路体盛土 | 0.0 |
| 路肩盛土 | 0.0 |
| 路体外盛土 | 249.8 |
| 盛土合計 ΣB＝ | 340.0 |

表土＝ 84.0

掘削（有機質土）合計：ΣC＝ 84.0

ブロック積床掘（礫質土）＝ 34.8

排水床掘（礫質土）＝ 11.8

床掘（礫質土）合計：E＝ 46.6

14.1 / 0.9 = 15.7

ブロック積埋戻＝ 6.6

排水埋戻＝ 7.5

埋戻合計 Σ＝ 14.1

残 土

礫質土：V＝292.0－377.8＋46.6－15.7＝－54.9(m3)

有機質土：V＝84.0－0.0＝84(m3)

道路土工 数量計算書

[illegible]

道路土工 数量計算書

[illegible]

道 路 土 工 数 量 計 算 書

| 測点 | 距離 | | | | オープンカット C1 (GF) | | | 片切 C2 (GF) 1, C2 (GF) 2 | | |
|---------------|------|----|----|-----|--------------------|----|-----|----------------------------|-------|-------|
| | | 断面 | 平均 | 立積 | 断面 | 平均 | 立積 | 断面 | 平均 | 立積 |
| | | | | | | | | | | |
| | | | | | | | | 0.0 | ---- | --- |
| | 6.3 | | | | | | | 11.7 | 5.85 | 36.9 |
| EC. 2 (BC. 3) | 2.9 | | | | | | | 11.7 | 11.70 | 33.9 |
| | 13.4 | | | | | | | 11.7 | 11.70 | 156.8 |
| | 3.4 | | | | | | | 0.0 | 5.85 | 19.9 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | 0.0 | ---- | --- |
| EC. 2 (BC. 3) | 5.4 | | | | | | | 2.4 | 1.20 | 6.5 |
| | 13.0 | | | | | | | 2.4 | 2.40 | 31.2 |
| | 5.7 | | | | | | | 0.0 | 1.20 | 6.8 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 小計 | 50.1 | | | 0.0 | | | 0.0 | | | 292.0 |
| 合計 | | | | 0.0 | | | 0.0 | | | 292.0 |

道路土工 数量計算書

[illegible]

道路土工 数量計算書

[illegible]

道路土工 数量計算書

| 測 点 | 距 離 | 切土法面整形：左側 C1 (GF) | | | 切土法面整形：右側 C1 (GF) 1, C1 (GF) 2 | | | 摘 要 |
|---------------|------|----------------------|----|-----|-----------------------------------|------|-------|-----|
| | | 法長 | 平均 | 平積 | 法長 | 平均 | 平積 | |
| | | | | | 0.0 | --- | --- | |
| | 6.3 | | | | 9.9 | 4.95 | 31.2 | |
| EC. 2 (BC. 3) | 2.9 | | | | 9.9 | 9.90 | 28.7 | |
| | 13.4 | | | | 9.9 | 9.90 | 132.7 | |
| | 3.4 | | | | 0.0 | 4.95 | 16.8 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | 0.0 | --- | --- | |
| EC. 2 (BC. 3) | 5.4 | | | | 5.1 | 2.55 | 13.8 | |
| | 13.0 | | | | 5.1 | 5.10 | 66.3 | |
| | 5.7 | | | | 0.0 | 2.55 | 14.5 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 小 計 | 50.1 | | | 0.0 | | | 304.0 | |
| 左右合計 | | 304.0 | | | | | | |

道 路 土 工 数 量 計 算 書

| 測 点 | 距 離 | 盛土法面整形：BI 左側 | | | 盛土法面整形：BI 右側 | | | 摘 要 |
|-------------|-------|-----------------|-------|-------|-----------------|-------|-------|-----|
| | | 法長 | 平均 | 平積 | 法長 | 平均 | 平積 | |
| NO. 0 | | | | | 1. 5 | --- | --- | |
| NO. 0+10. 0 | 8. 3 | | | | 1. 5 | 1. 50 | 12. 5 | |
| NO. 1 | 10. 0 | | | | 0. 0 | 0. 75 | 7. 5 | |
| | | | | | | | | |
| | | | | | 0. 0 | --- | --- | |
| NO. 6+11. 8 | 5. 9 | | | | 4. 0 | 2. 00 | 11. 8 | |
| | 4. 3 | | | | 0. 0 | 2. 00 | 8. 6 | |
| | | | | | | | | |
| | | | | | | | | |
| NO. 7 | | 5. 0 | --- | --- | | | | |
| NO. 8 | 20. 0 | 2. 0 | 3. 50 | 70. 0 | | | | |
| BC. 4 | 6. 7 | 0. 1 | 1. 05 | 7. 0 | | | | |
| SP. 4 | 9. 0 | 0. 0 | 0. 05 | 0. 5 | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 小 計 | 64. 2 | | | 0. 0 | | | 0. 0 | |
| 左右合計 | | | | | | | | |
| | | | | | | | | |

3 法 面 工

数量集計表

[illegible]

法 面 工 数 量 計 算 書

| 測 点 | 距 離 | 種子散布：左側 CL | | | 種子散布：右側 CL1, CL2 | | | 摘 要 |
|---------------|------|---------------|----|-----|---------------------|------|-------|-----|
| | | 法長 | 平均 | 平積 | 法長 | 平均 | 平積 | |
| | | | | | 0.0 | --- | --- | |
| | 6.3 | | | | 9.9 | 4.95 | 31.2 | |
| EC. 2 (BC. 3) | 2.9 | | | | 9.9 | 9.90 | 28.7 | |
| | 13.4 | | | | 9.9 | 9.90 | 132.7 | |
| | 3.4 | | | | 0.0 | 4.95 | 16.8 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | 0.0 | --- | --- | |
| EC. 2 (BC. 3) | 5.4 | | | | 4.7 | 2.35 | 12.7 | |
| | 13.0 | | | | 4.7 | 4.70 | 61.1 | |
| | 5.7 | | | | 0.0 | 2.35 | 13.4 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 小 計 | 50.1 | | | 0.0 | | | 296.6 | |
| 左右合計 | | 296.6 | | | | | | |

4 ブロック積エ

数量集計表

[illegible]

作業土工（ブロック積工） 数量計算書

| 測 点 | 距 離 (箇所) | 床掘り | | | | 埋戻し | | | | 基面整正 | 備 考 |
|-------------|-------------|------|-----|-----|--|-------|-------|-----|-----|------|-----|
| | | 礫質土 | | | | 埋戻(C) | 埋戻(D) | | | | |
| 作業土工数量計算書より | | | | | | | | | | | |
| 左側 | | 34.8 | | | | | 6.6 | | | 10.8 | |
| 右側 | | 0.0 | | | | | 0.0 | | | 0.0 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 合 計 | | 34.8 | 0.0 | 0.0 | | 0.0 | 6.6 | 0.0 | 0.0 | 10.8 | |
| | | | | | | 6.6 | | | | | |

作業土工（ブロック積工） 数量計算書

[illegible]

環境保全型ブロック 数量集計表

| 測 点 | 延長 | 環境保全型 ブロック | 裏込砕石 | 裏込 コンクリート | 目地材 | 吸出 防止材 | 水抜き パイプ | 胴込材 | | | 基礎工 | |
|------------------|-------|-------------------|-------------------|--------------------------------------|-------------------|-----------|------------|-------------------|-----|-----|-------|-----|
| | | 1:0.5 控650 | | | | | | | | | 4号基礎工 | |
| | | (m ²) | RC-40 | σ _{ck} =18N/mm ² | t=10mm | 300×300 | VU150 | A*0.361 | (m) | (m) | (m) | (m) |
| | (m) | (m ²) | (m ³) | (m ³) | (m ²) | (枚) | (m) | (m ³) | (m) | (m) | (m) | (m) |
| NO.0+7.5～NO.7(左) | 124.4 | 35.7 | 19.0 | | 2.3 | | | 12.9 | | | 12.0 | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 合計 | 124.4 | 35.7 | 19.0 | 0.0 | 2.3 | 0 | 0.0 | 12.9 | 0.0 | 0.0 | 12.0 | 0.0 |


| 環境保全型ブロック数量計算書 (1/2) 河 川 | | | | 盛土 | ガードレール基礎 | | | 1 | (1;有;2;無) | |
|--------------------------|--------|------------------|--------|---------------------|----------------|-------|-------|--------|-----------|------|
| NO.0+7.5～NO.7(左) | | | | 斜率 1.118 | 前面勾配 | | | 1: 0.5 | | |
| ブロック積 | L | | | H1= H-0.60 | N=H1* 1.118 | N' | N'*L | H | 備考 | |
| 測点 | 上面距離 | 下面距離 | 平均距離 | 高さ | 法長 | 平均法長 | 面積 | 全体高 | | |
| NO.0+7.5 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | --- | --- | 0.60 | | |
| NO.0+10.0 | 2.50 | 2.50 | 2.50 | 0.44 | 0.49 | 0.245 | 0.61 | 1.04 | | |
| NO.1 | 10.00 | 10.00 | 10.00 | 1.01 | 1.13 | 0.810 | 8.10 | 1.61 | | |
| - | 5.61 | 5.61 | 5.61 | 1.47 | 1.64 | 1.385 | 7.77 | 2.07 | | |
| BC.1 | 5.00 | 5.00 | 5.00 | 1.93 | 2.16 | 1.900 | 9.50 | 2.53 | | |
| - | 5.24 | 5.36 | 5.30 | 2.05 | 2.29 | 2.225 | 11.79 | 2.65 | | |
| SP.1 | 1.35 | 1.37 | 1.36 | 2.08 | 2.33 | 2.310 | 3.14 | 2.68 | | |
| - | 1.35 | 1.37 | 1.36 | 2.07 | 2.31 | 2.320 | 3.16 | 2.67 | | |
| EC.1(BC.2) | 5.24 | 5.35 | 5.30 | 1.98 | 2.21 | 2.260 | 11.98 | 2.58 | | |
| - | 4.94 | 4.91 | 4.93 | 1.98 | 2.21 | 2.210 | 10.90 | 2.58 | | |
| NO.3 | 11.68 | 11.62 | 11.65 | 2.05 | 2.29 | 2.250 | 26.21 | 2.65 | | |
| SP.2 | 10.78 | 10.71 | 10.75 | 2.21 | 2.47 | 2.380 | 25.59 | 2.81 | | |
| NO.4 | 8.98 | 8.93 | 8.96 | 2.42 | 2.71 | 2.590 | 23.21 | 3.02 | | |
| EC.2(BC.3) | 18.42 | 18.29 | 18.36 | 2.58 | 2.88 | 2.795 | 51.32 | 3.18 | | |
| SP.3 | 17.49 | 16.82 | 12.00 | 2.75 | 3.07 | 2.975 | 35.70 | 3.35 | | |
| EC.3 | 17.49 | 16.82 | 17.16 | 2.60 | 2.91 | 2.990 | 51.31 | 3.20 | | |
| NO.7 | 4.16 | 4.15 | 4.16 | 2.55 | 2.85 | 2.880 | 11.98 | 3.15 | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 合計 | 130.23 | 12.00 | 124.40 | | | | 35.70 | | 平均法長 | 0.29 |
| 目地材 | 10m/ヶ所 | 124.4m/10m= | 12ヶ所 | | | | | | | |
| | 1ヶ所当り | 0.29 × (0.65+0)= | 0.19㎡ | 0.19㎡ × 12ヶ所= 2.28㎡ | | | | | | |

| 裏込コンクリート t=0mm | L | | | H1 | N=H1* 1.118 | A=N*0 | A' | A'*L | |
|-------------------|--------|--------|--------|------|----------------|-------|-------|------|----|
| 測点 | 上面距離 | 下面距離 | 平均距離 | 高さ | 長さ | 断面積 | 平均断面積 | 立積 | 備考 |
| NO.0+7.5 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | --- | --- | |
| NO.0+10.0 | 2.50 | 2.50 | 2.50 | 0.44 | 0.49 | 0.00 | 0.000 | 0.00 | |
| NO.1 | 10.00 | 10.00 | 10.00 | 1.01 | 1.13 | 0.00 | 0.000 | 0.00 | |
| - | 5.61 | 5.61 | 5.61 | 1.47 | 1.64 | 0.00 | 0.000 | 0.00 | |
| BC.1 | 5.00 | 5.00 | 5.00 | 1.93 | 2.16 | 0.00 | 0.000 | 0.00 | |
| - | 5.24 | 5.36 | 5.30 | 2.05 | 2.29 | 0.00 | 0.000 | 0.00 | |
| SP.1 | 1.35 | 1.37 | 1.36 | 2.08 | 2.33 | 0.00 | 0.000 | 0.00 | |
| - | 1.35 | 1.37 | 1.36 | 2.07 | 2.31 | 0.00 | 0.000 | 0.00 | |
| EC.1(BC.2) | 5.24 | 5.35 | 5.30 | 1.98 | 2.21 | 0.00 | 0.000 | 0.00 | |
| - | 4.94 | 4.91 | 4.93 | 1.98 | 2.21 | 0.00 | 0.000 | 0.00 | |
| NO.3 | 11.68 | 11.62 | 11.65 | 2.05 | 2.29 | 0.00 | 0.000 | 0.00 | |
| SP.2 | 10.78 | 10.71 | 10.75 | 2.21 | 2.47 | 0.00 | 0.000 | 0.00 | |
| NO.4 | 8.98 | 8.93 | 8.96 | 2.42 | 2.71 | 0.00 | 0.000 | 0.00 | |
| EC.2(BC.3) | 18.42 | 18.29 | 18.36 | 2.58 | 2.88 | 0.00 | 0.000 | 0.00 | |
| SP.3 | 17.49 | 16.82 | 12.00 | 2.75 | 3.07 | 0.00 | 0.000 | 0.00 | |
| EC.3 | 17.49 | 16.82 | 17.16 | 2.60 | 2.91 | 0.00 | 0.000 | 0.00 | |
| NO.7 | 4.16 | 4.15 | 4.16 | 2.55 | 2.85 | 0.00 | 0.000 | 0.00 | |
| | | | | | | | | | |
| | | | | | | | | | |
| 合計 | 130.23 | 128.81 | 124.40 | | | | | 0.00 | |


| 環境保全型ブロック数量計算書 (2/2) | | | | | | | | | | | |
|----------------------|--------|--------|--------|------|-------------|------------|--------------|-------------|---------------|-------|-------|
| NO.0+7.5～NO.7(左) | | | | | | 前背面勾配差=0.1 | | | | | |
| 裏込碎石 | L | | | ne | h(前面高+基礎材厚) | H2=H+h-0.6 | B=0.30*1.118 | B1=B+H2*0.1 | A=(B+B1)/2*H2 | A' | A'*L |
| 測点 | 上面距離 | 下面距離 | 平均距離 | 根入 | 基礎コンクリート | 高さ | 上幅 | 下幅 | 断面積 | 平均断面積 | 立積 |
| NO.0+7.5 | 0.00 | 0.00 | 0.00 | 0.50 | 0.50 | 0.50 | 0.34 | 0.39 | 0.18 | --- | --- |
| NO.0+10.0 | 2.50 | 2.50 | 2.50 | 0.50 | 0.50 | 0.94 | 0.34 | 0.43 | 0.36 | 0.270 | 0.68 |
| NO.1 | 10.00 | 10.00 | 10.00 | 0.50 | 0.50 | 1.51 | 0.34 | 0.49 | 0.63 | 0.495 | 4.95 |
| - | 5.61 | 5.61 | 5.61 | 0.50 | 0.50 | 1.97 | 0.34 | 0.54 | 0.87 | 0.750 | 4.21 |
| BC.1 | 5.00 | 5.00 | 5.00 | 0.50 | 0.50 | 2.43 | 0.34 | 0.58 | 1.12 | 0.995 | 4.98 |
| - | 5.24 | 5.36 | 5.30 | 0.50 | 0.50 | 2.55 | 0.34 | 0.60 | 1.20 | 1.160 | 6.15 |
| SP.1 | 1.35 | 1.37 | 1.36 | 0.50 | 0.50 | 2.58 | 0.34 | 0.60 | 1.21 | 1.205 | 1.64 |
| - | 1.35 | 1.37 | 1.36 | 0.50 | 0.50 | 2.57 | 0.34 | 0.60 | 1.21 | 1.210 | 1.65 |
| EC.1(BC.2) | 5.24 | 5.35 | 5.30 | 0.50 | 0.50 | 2.48 | 0.34 | 0.59 | 1.15 | 1.180 | 6.25 |
| - | 4.94 | 4.91 | 4.93 | 0.50 | 0.50 | 2.48 | 0.34 | 0.59 | 1.15 | 1.150 | 5.67 |
| NO.3 | 11.68 | 11.62 | 11.65 | 0.50 | 0.50 | 2.55 | 0.34 | 0.60 | 1.20 | 1.175 | 13.69 |
| SP.2 | 10.78 | 10.71 | 10.75 | 0.50 | 0.50 | 2.71 | 0.34 | 0.61 | 1.29 | 1.245 | 13.38 |
| NO.4 | 8.98 | 8.93 | 8.96 | 0.50 | 0.50 | 2.92 | 0.34 | 0.63 | 1.42 | 1.355 | 12.14 |
| EC.2(BC.3) | 18.42 | 18.29 | 18.36 | 0.50 | 0.50 | 3.08 | 0.34 | 0.65 | 1.52 | 1.470 | 26.99 |
| SP.3 | 17.49 | 16.82 | 12.00 | 0.50 | 0.50 | 3.25 | 0.34 | 0.67 | 1.64 | 1.580 | 18.96 |
| EC.3 | 17.49 | 16.82 | 17.16 | 0.50 | 0.50 | 3.10 | 0.34 | 0.65 | 1.53 | 1.585 | 27.20 |
| NO.7 | 4.16 | 4.15 | 4.16 | 0.50 | 0.50 | 3.05 | 0.34 | 0.65 | 1.51 | 1.520 | 6.32 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 合計 | 130.23 | 128.81 | 124.40 | | | | | | | | 18.96 |

| 水抜きパイプ 対象面積 | L | | | ne | H3 | N1 | N1' | N1'*L | |
|-----------------------|------|------|------|--|----|------|------|-------|----|
| 測点 | 上面距離 | 下面距離 | 平均距離 | 根入 | 高さ | 法長 | 平均法長 | 面積 | 備考 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 合計 | 0.00 | 0.00 | 0.00 | | | 0.00 | | 0.00 | |
| 水抜パイプ 0.00/7㎡≒0.0本 | | | | 吸出防止材 0.0枚 水抜パイプ 平均長 L= 1.118*(0.35+0)/≒ 0.40m 総延長 L= 0.4×0= 0.00m | | | | | |


数量計算書

$$L = 6.0 \text{ m}$$
[illegible]


数量計算書

$$L = 30.8 \text{ m}$$
[illegible]

数量計算書

$$L = 31.0 \text{ m}$$
[illegible]

数量計算書

$$L = 12.0 \text{ m}$$
[illegible]

5 排水構造物工

数量集計表

[illegible]

作業土工（排水構造物工） 数 量 計 算 書

| 測 点 | 距 離 (箇所) | 床掘り | | | | 埋戻し | | | | 基面整正 | 備 考 |
|-------------------|-------------|------|-----|-----|--|-------|-------|-----|-----|------|-----|
| | | 礫質土 | | | | 埋戻(C) | 埋戻(D) | | | | |
| 作業土工数量計算書より | | | | | | | | | | | |
| | | 1.9 | | | | | 0.0 | | | 5.6 | |
| | | | | | | | | | | | |
| 単位数量計算書より | | | | | | | | | | | |
| P1-RC1-D500 | 0.0 | 0.0 | | | | | 0.0 | | | 0.0 | |
| P1-RC1-D600 | 0.0 | 0.0 | | | | 0.0 | | | | 0.0 | |
| 重圧管φ300 | 4.1 | 4.1 | | | | | 3.3 | | | 2.1 | |
| G1-B500-L500-H700 | 1.0 | 0.6 | | | | | 0.1 | | | 0.8 | |
| G2-B500-L500-H500 | 2.0 | 5.2 | | | | | 4.1 | | | 1.6 | |
| G2-B700-L700-H800 | 0.0 | 0.0 | | | | 0.0 | | | | 0.0 | |
| G2-B800-L800-H900 | 0.0 | 0.0 | | | | 0.0 | | | | 0.0 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 合 計 | | 11.8 | 0.0 | 0.0 | | 0.0 | 7.5 | 0.0 | 0.0 | 10.1 | |
| | | | | | | | 7.5 | | | | |

作業土工（排水構造物工） 数量計算書

[illegible]

PU1-B300-H300 延 長 調 書

| 左側位置 | 延長・箇所 | | | | | 摘要 | 右侧位置 | 延長・箇所 | | | | | 摘要 |
|------|-------|-----|-----|-----|-----|----|------------------------|-------|-----|-----|-----|------|----|
| | | | | | 合計 | | | | | | | 合計 | |
| | | | | | | | NO. 0+3.4 ~ NO. 0+14.7 | | | | | 10.9 | |
| | | | | | | | NO. 4+9.9 ~ NO. 5+8.6 | | | | | 20.7 | |
| | | | | | | | NO. 5+9.3 ~ NO. 5+19.6 | | | | | 13.3 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 左 計 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | 右 計 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| | | | | | | | 合 計 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | m |

G1-B500-L500-H700 箇 所 調 書

| 左 側 位 置 | 延長・箇所 | | | | | 摘 要 | 右 側 位 置 | 延長・箇所 | | | | | 摘 要 |
|---------|-------|---|---|---|-----|-----|----------------|-------|---|---|---|-----|-----|
| | | | | | 合 計 | | | | | | | 合 計 | |
| | | | | | | | NO. 2+3. 6 付近 | | | | | | |
| | | | | | | | NO. 4+13. 6 付近 | | | | | | |
| | | | | | | | NO. 5+19. 6 付近 | | | | | 1 | |
| | | | | | | | NO. 7+3. 6 付近 | | | | | | |
| | | | | | | | NO. 8+13. 8 付近 | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 左 計 | 0 | 0 | 0 | 0 | 0 | | 右 計 | 0 | 0 | 0 | 0 | 1 | |
| | | | | | | | 合 計 | 0 | 0 | 0 | 0 | 1 | 箇所 |

G2-B500-L500-H500 箇 所 調 書

| 左 側 位 置 | 延長・箇所 | | | | | 摘 要 | 右 側 位 置 | 延長・箇所 | | | | | 摘 要 |
|---------|-------|---|---|---|-----|-----|---------------|-------|---|---|---|-----|-----|
| | | | | | 合 計 | | | | | | | 合 計 | |
| | | | | | | | NO. 5+8. 9 付近 | | | | | 1 | |
| | | | | | | | NO. 5+8. 9 付近 | | | | | 1 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 左 計 | 0 | 0 | 0 | 0 | 0 | | 右 計 | 0 | 0 | 0 | 0 | 2 | |
| | | | | | | | 合 計 | 0 | 0 | 0 | 0 | 2 | 箇所 |

G2-B700-L700-H800 箇 所 調 書


| 左側位置 | 延長・箇所 | | | | | 摘要 | 右侧位置 | 延長・箇所 | | | | | 摘要 |
|------|-------|---|---|---|----|----|-------------|-------|---|---|---|----|----|
| | | | | | 合計 | | | | | | | 合計 | |
| | | | | | | | N0.0+3.4 付近 | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| 左 計 | 0 | 0 | 0 | 0 | 0 | | 右 計 | 0 | 0 | 0 | 0 | 0 | |
| | | | | | | | 合 計 | 0 | 0 | 0 | 0 | 0 | 箇所 |

| G2-B800-L800-H900 箇 所 調 書 | | | | | | | | | | | | | |
|---------------------------|---------|--|--|--|-----|-----|----------------|---------|--|--|--|-----|-----|
| 左 側 位 置 | 延 長・箇 所 | | | | | 摘 要 | 右 側 位 置 | 延 長・箇 所 | | | | | 摘 要 |
| | | | | | 合 計 | | | | | | | 合 計 | |
| | | | | | | | NO. 6+12. 0 付近 | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

G1-B500-L500-H700

数 量 計 算 書

N = 1.0 箇所




| 名 称 | 規 格 | 単位 | 算 式 | 1箇所 当り数量 | 箇 所 | 数 量 |
|----------|-------------------------------|----------------|--|-------------|-----|-----|
| コンクリート | $\sigma_{ck}=18\text{N/mm}^2$ | m ³ | コンクリート控除量 0.005 (別紙計算書より) $0.80 \times 0.80 \times 0.85 - 0.50 \times 0.50 \times 0.70 - 0.005$ | 0.364 | 1.0 | 0.4 |
| 型 枠 | 一般 | m ² | $(0.50 + 0.80) \times 4 \times 0.85$ | 4.420 | 1.0 | 4.4 |
| 基礎碎石 | RC-40 t=15cm | m ² | 0.90×0.90 | 0.810 | 1.0 | 0.8 |
| グレーチング 蓋 | T-25 落込み式 | 組 | | 1.000 | 1.0 | 1.0 |
| | | | | | | |
| 床掘り | | m ³ | $1.80 \times 1.80 \times 0.20$ | 0.648 | 1.0 | 0.6 |
| 埋戻し | 埋戻D | m ³ | $0.648 - 0.90 \times 0.90 \times 0.15 - 0.80 \times 0.80 \times (0.20 - 0.15)$ | 0.143 | 1.0 | 0.1 |
| 基面整正 | | m ² | 0.90×0.90 | 0.810 | 1.0 | 0.8 |
| | | | | | | |
| | | | | | | |
| | | | | | | |

G2-B500-L500-H500

数 量 計 算 書

N = 2.0 箇所




| 名 称 | 規 格 | 単位 | 算 式 | 1箇所 当り数量 | 箇 所 | 数 量 |
|--------|-------------------------------|----------------|--|-------------|-----|-----|
| コンクリート | $\sigma_{ck}=18\text{N/mm}^2$ | m ³ | コンクリート控除量 0.029 (別紙計算書より) $0.80 \times 0.80 \times 0.65 - 0.50 \times 0.50 \times 0.50 - 0.029$ | 0.262 | 2.0 | 0.5 |
| 型 枠 | 一般 | m ² | $(0.50 + 0.80) \times 4 \times 0.65$ | 3.380 | 2.0 | 6.8 |
| 基礎碎石 | RC-40 t=15cm | m ² | 0.90×0.90 | 0.810 | 2.0 | 1.6 |
| 綯網板蓋 | B500-L500 | 枚 | | 1.000 | 2.0 | 2.0 |
| | | | | | | |
| 床掘り | | m ³ | $1.80 \times 1.80 \times 0.80$ | 2.592 | 2.0 | 5.2 |
| 埋戻し | 埋戻D | m ³ | $2.592 - 0.90 \times 0.90 \times 0.15 - 0.80 \times 0.80 \times (0.80 - 0.15)$ | 2.055 | 2.0 | 4.1 |
| 基面整正 | | m ² | 0.90×0.90 | 0.810 | 2.0 | 1.6 |
| | | | | | | |
| | | | | | | |
| | | | | | | |

G2-B700-L700-H800

数 量 計 算 書

N = 0.0 箇所




| 名 称 | 規 格 | 単位 | 算 式 | 1箇所 当り数量 | 箇 所 | 数 量 |
|----------|-------------------------------|----------------|--|-------------|-----|-----|
| コンクリート | $\sigma_{ck}=18\text{N/mm}^2$ | m ³ | コンクリート控除量 0.056 (別紙計算書より) $1.00 \times 1.00 \times 0.95 - 0.70 \times 0.70 \times 0.80 - 0.056$ | 0.502 | 0.0 | 0.0 |
| 型 枠 | 一般 | m ² | $(1.00 + 0.70) \times 4 \times 0.95$ | 6.460 | 0.0 | 0.0 |
| 基礎碎石 | RC-40 t=15cm | m ² | 1.10×1.10 | 1.210 | 0.0 | 0.0 |
| グレーチング 蓋 | T-2 落込み式 | 枚 | | 1.000 | 0.0 | 0.0 |
| | | | | | | |
| 床掘り | | m ³ | $1/2 \times (2.00^2 + 3.10^2) \times 1.10$ | 7.486 | 0.0 | 0.0 |
| 埋戻し | 埋戻C | m ³ | $7.486 - 1.10 \times 1.10 \times 0.15 - 1.00 \times 1.00 \times (1.10 - 0.15)$ | 6.355 | 0.0 | 0.0 |
| 基面整正 | | m ² | 1.10×1.10 | 1.210 | 0.0 | 0.0 |
| | | | | | | |
| | | | | | | |
| | | | | | | |

G2-B800-L800-H900

数 量 計 算 書

N = 0.0 箇所



| 名 称 | 規 格 | 単位 | 算 式 | 1箇所 当り数量 | 箇 所 | 数 量 |
|----------|--------------|----|--|-------------|-----|-----|
| コンクリート | σck=18N/mm2 | m3 | コンクリート控除量 0.042 (別紙計算書より) 1.10*1.10*1.05-0.80*0.80*0.90- 0.042 | 0.653 | 0.0 | 0.0 |
| 型 枠 | 一般 | m2 | (1.10+0.80)*4*1.05 | 7.980 | 0.0 | 0.0 |
| 基礎碎石 | RC-40 t=15cm | m2 | 1.20*1.20 | 1.440 | 0.0 | 0.0 |
| グレーチング 蓋 | T-2 落込み式 | 枚 | | 1.000 | 0.0 | 0.0 |
| | | | | | | |
| | | | | | | |
| 床掘り | | m3 | 1/2*(2.10^2+3.30^2)*1.20 | 9.180 | 0.0 | 0.0 |
| 埋戻し | 埋戻C | m3 | 9.18-1.20*1.20*0.15- 1.10*1.10*(1.20-0.15) | 7.694 | 0.0 | 0.0 |
| 基面整正 | | m2 | 1.20*1.20 | 1.440 | 0.0 | 0.0 |
| | | | | | | |
| | | | | | | |

9 構造物撤去工

構造物撤去工 集計表

[illegible]

構造物撤去工数量計算書

| 測 点 | 距 離 | コンクリート取壊 : C (Co) 無筋構造物 左側 | | | コンクリート取壊 : C (Co) 無筋構造物 右側 | | | 摘 要 |
|---------------|------|-------------------------------|------|-----|-------------------------------|------|-----|-----|
| | | 断面 | 平均 | 立積 | 断面 | 平均 | 立積 | |
| | | | | | | | | |
| | | 0.1 | --- | --- | | | | |
| NO. 3 | 0.8 | 0.1 | 0.10 | 0.1 | | | | |
| SP. 2 | 10.7 | 0.1 | 0.10 | 1.1 | | | | |
| NO. 4 | 8.9 | 0.1 | 0.10 | 0.9 | | | | |
| EC. 2 (BC. 3) | 9.1 | 0.1 | 0.10 | 0.9 | | | | |
| SP. 3 | 16.8 | 0.1 | 0.10 | 1.7 | | | | |
| EC. 3 | 12.0 | 0.1 | 0.10 | 1.2 | | | | |
| | 0.5 | 0.1 | 0.10 | 0.1 | | | | |
| | | | | | | | | |
| | | | | | 0.3 | --- | --- | |
| SP. 2 | 0.9 | | | | 0.3 | 0.30 | 0.3 | |
| NO. 4 | 9.2 | | | | 0.1 | 0.20 | 1.8 | |
| | 3.6 | | | | 0.1 | 0.10 | 0.4 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 小 計 | 72.5 | | | 1.2 | | | 0.0 | |
| 左右合計 | | 1.2 | | | | | | |

構造物撤去工数量計算書

| 測 点 | 距 離 | 石積取壊：C(St) 左側 | | | 石積取壊：C(St) 右側 | | | 摘 要 |
|---------------|-------|------------------|-------|-------|------------------|-------|-------|-----|
| | | 法長 | 平均 | 平積 | 法長 | 平均 | 平積 | |
| | | | | | | | | |
| SP. 1 | | 0. 0 | --- | --- | 0. 0 | --- | --- | |
| EC. 1 (BC. 2) | 6. 3 | 1. 2 | 0. 60 | 3. 8 | 2. 7 | 1. 35 | 8. 5 | |
| NO. 3 | 16. 8 | 0. 0 | 0. 60 | 10. 1 | 0. 0 | 1. 35 | 22. 7 | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |