

| 設 計 数 量 総 括 表 | | | | | | | | | |
|---------------|---|----------------|--------------------|----|---------|-------|------|---------|-----|
| 工事名 | 市道十日市 276 号線・(仮称)市道酒河 160 号線 測量設計調査業務委託 | | | | | | 事業区分 | 道路新設・改築 | |
| | | | | | | | 工事区分 | 道路改良 | |
| 工事区分・工種・種別・細別 | | 規 格 | | 単位 | 数 量 | 計上数量 | 単 価 | 金額(千円) | 備 考 |
| 道路改良 | | | | 式 | 1 | | | | |
| 道路土工 | | | | 式 | 1 | | | | |
| 掘削工 | | | | 式 | 1 | | | | |
| 掘削 (土砂) | | 片切部 | 砂・砂質土 | m3 | 388.4 | 390 | | | |
| | | オープンカット | 砂・砂質土 | m3 | 5,935.4 | 5,900 | | | |
| 路体盛土工 | | | | 式 | 1 | | | | |
| 路体 (発生土) | | B<2.5m | 砂・砂質土 | m3 | 82.4 | 80 | | | |
| | | 2.5m≦B<4.0m | 砂・砂質土 | m3 | 0.0 | 0 | | | |
| | | 4.0m≦B | 砂・砂質土 | m3 | 0.0 | 0 | | | |
| 路床盛土工 | | | | 式 | 1 | | | | |
| 路床 (発生土) | | B<2.5m | 砂・砂質土 | m3 | 17.0 | 20 | | | |
| | | 2.5m≦B<4.0m | 砂・砂質土 | m3 | 0.0 | 0 | | | |
| | | 4.0m≦B | 砂・砂質土 | m3 | 0.0 | 0 | | | |
| 法面整形工 | | | | 式 | 1 | | | | |
| 切土法面整形 | | 砂・砂質土 | | m2 | 897.1 | 900 | | | |
| 盛土法面整形 | | 砂・砂質土 | | m2 | 97.7 | 100 | | | |
| 残土処理工 | | | | 式 | 1 | | | | |
| 残土運搬 | | 砂・砂質土 | | m3 | 6,221.4 | 6,220 | | | |
| 残土受入れ | | 砂・砂質土 | | m3 | 6,221.4 | 6,220 | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 排水構造物工 | | | | 式 | 1 | | | | |
| 作業土工 | | | | 式 | 1 | | | | |
| 床掘 | | 片切部 | 砂・砂質土 | m3 | 28.8 | 30 | | | |
| 埋戻 | | 最大幅 W<1m | 土 砂 | m3 | 18.7 | 20 | | | |
| 基面整正 | | | | m2 | 25.6 | 30 | | | |
| 側溝工 | | | | 式 | 1 | | | | |
| 仮排水路 | | W=1.0 | σ ck=18N/mm2 | m | 314.7 | 315 | | | |
| 小段排水 | | B300-H200 | | m | 57.7 | 58 | | | |
| 横断側溝 | | B300-H390 | | m | 4.0 | 4 | | | |
| 縦排水 | | B250-H175 | | m | 3.9 | 4 | | | |
| 集水樹工 | | | | 式 | 1 | | | | |
| 1号集水樹 | | B700-L700-H500 | | 箇所 | 4.0 | 4 | | | |
| 2号集水樹 | | B500-L500-H500 | | 箇所 | 2.0 | 2 | | | |
| 舗装工 | | | | 式 | 1 | | | | |
| 不陸整正 | | | | 式 | 1 | | | | |
| 不陸整正 | | | | m2 | 1,288 | 1,290 | | | |
| アスファルト舗装工 | | | | 式 | 1 | | | | |
| 表 層 | | 再生粗粒度As | t=5cm | m2 | 1,444.3 | 1,440 | | | |
| 路 盤 | | 再生切込砕石(RC-40) | t=15cm | m2 | 1,444.3 | 1,440 | | | |
| 里道舗装 | | | | 式 | 1 | | | | |
| 表 層 | | コンクリート | t=7cm σ ck=18N/mm2 | m2 | 57.4 | 57 | | | |
| 路 盤 | | 再生切込砕石(RC-40) | t=15cm | m2 | 57.4 | 57 | | | |
| | | | | | | | | | |

| | |
|---------------|--|
| 設 計 数 量 総 括 表 | |
|---------------|--|

[illegible]

レベル1(工事区分) 道路改良


レベル2(工種) 道路土工

| レベル3(種別) | レベル4(細別) | レベル5(規格) | 積算用 単位 | 数量計 算用単 位 | 数 量 区 分 | | | 合計 | | | | | | 内訳数量表 別紙 | 備 考 |
|----------|---------------|----------|-----------|-----------------|-------------|----------------|--|----------|----------|-----|-----|-----|-----|-------------|-------|
| 掘削工 | | | 式 | m3 | | | | | | | | | | | |
| | 掘削(土砂) | | m3 | m3 | 合 計 | | | 6,323.8 | 6,323.8 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | 片切部 | 砂・砂質土 | | 388.4 | 388.4 | | | | | | |
| | | | | | | 礫質土 | | 0.0 | | | | | | | |
| | | | | | オープンカット部 | 砂・砂質土 | | 5,935.4 | 5,935.4 | | | | | | |
| | | | | | | 礫質土 | | 0.0 | | | | | | | |
| 路体盛土工 | | | m3 | m3 | | | | | | | | | | | |
| | 路体(発生土) | | m3 | m3 | 合 計 | | | 82.4 | 82.4 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | B<2.5m | 砂・砂質土 | | 82.4 | 82.4 | | | | | | B:盛土幅 |
| | | | | | | 礫質土 | | 0.0 | | | | | | | |
| | | | | | 2.5m≦B<4.0m | 砂・砂質土 | | 0.0 | 0.0 | | | | | | |
| | | | | | | 礫質土 | | 0.0 | | | | | | | |
| | | | | | 4.0m≦B | 砂・砂質土 | | 0.0 | 0.0 | | | | | | |
| | | | | | | 礫質土 | | 0.0 | | | | | | | |
| 路床盛土工 | | | m3 | m3 | | | | | | | | | | | |
| | 路床(発生土) | | m3 | m3 | 合 計 | | | 17.0 | 17.0 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | B<2.5m | 砂・砂質土 | | 17.0 | 17.0 | | | | | | B:盛土幅 |
| | | | | | | 礫質土 | | 0.0 | | | | | | | |
| | | | | | 2.5m≦B<4.0m | 砂・砂質土 | | 0.0 | 0.0 | | | | | | |
| | | | | | | 礫質土 | | 0.0 | | | | | | | |
| | | | | | 4.0m≦B | 砂・砂質土 | | 0.0 | 0.0 | | | | | | |
| | | | | | | 礫質土 | | 0.0 | | | | | | | |
| 法面整形工 | | | 式 | m2 | | | | | | | | | | | |
| | 法面整形(切土部) | [土質] | m2 | m2 | 合 計 | | | 897.1 | 897.1 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | 機械 | 砂・砂質土、粘性土、レキ質土 | | 897.1 | 897.1 | | | | | | |
| | | | | | | 軟岩1 | | 0.0 | | | | | | | |
| | | | | | 人力 | 砂・砂質土、粘性土、レキ質土 | | 0.0 | | | | | | | |
| | 軟岩1、軟岩2、中硬岩以上 | | 0.0 | | | | | | | | | | | | |
| | 法面整形(盛土部) | | m2 | m2 | 合 計 | | | 97.7 | 97.7 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | 機械 | 砂・砂質土、粘性土、レキ質土 | | 97.7 | 97.7 | | | | | | |
| 人力 | | | | | | 砂・砂質土、粘性土 | | 0.0 | | | | | | | |
| 残土処理工 | | | m3 | m3 | | | | | | | | | | | |
| | 残土 | | m3 | m3 | 合 計 | | | 20,981.4 | 20,981.4 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | 砂・砂質土 | | | 6,221.4 | 6,221.4 | | | | | | |
| | | | | | 礫質土 | | | 0.0 | 0.0 | | | | | | |
| 準備工 | | | m2 | m2 | | | | | | | | | | | |
| | 伐開・除根 | | m2 | m2 | 合 計 | | | 7,380.0 | 7,380.0 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | 伐開・除根 | | | 7,380.0 | 7,380.0 | | | | | | |
| | | | | | | | | 0.0 | 0.0 | | | | | | |

レベル1(工事区分) 道路改良

レベル2(工種) 配分表

土量配分表



レベル1(工事区分) 道路改良

レベル2(工種) 掘削

[illegible]

レベル1(工事区分) 道路改良

レベル2(工種) 掘削

| 第 表 掘 削 数 量 計 算 書 (2) | | | | | | | | | | | | | | |
|--------------------------|--------|--------|------|---------|--------|-------|----------|--|-----|-----|--|-----|-----|-----|
| 測 点 | 距 離 | 片 切 | | | オープン | | | | | | | | | 摘 要 |
| | | C1(SE) | 平 均 | 立 積 | C2(SE) | 平 均 | 立 積 | | 平 均 | 立 積 | | 平 均 | 立 積 | |
| | | | | | | | | | | | | | | |
| KE7-2 (NO. 9+88.147) | 0.00 | 1.2 | | | | | | | | | | | | |
| 工NO. 2+80 | 12.57 | 1.2 | 1.20 | 15.1 | | | | | | | | | | |
| 工BC5-0 (NO. 2+92.68) | 12.68 | 0.5 | 0.85 | 10.8 | | | | | | | | | | |
| 工 (NO. 3+00) | 7.32 | 0.2 | 0.35 | 2.6 | 0.0 | | | | | | | | | |
| 工 (NO. 3+20) | 20.00 | 0.0 | 0.10 | 2.0 | 6.7 | 3.35 | 67.0 | | | | | | | |
| 工 (NO. 3+40) | 20.00 | | | | 23.9 | 15.30 | 306.0 | | | | | | | |
| 工BC6-0 (NO. 3+47.403) | 7.40 | | | | 25.4 | 24.65 | 182.4 | | | | | | | |
| 工 (NO. 3+60) | 12.60 | | | | 22.3 | 23.85 | 300.5 | | | | | | | |
| 工 (NO. 3+74.1) | 14.10 | | | | 0.0 | 11.15 | 157.2 | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 小 計 | 106.67 | | | 30.5m3 | | | 1013.1m3 | | | | | | | |
| 合 計 | 310.43 | | | 388.4m3 | | | 5935.4m3 | | | | | | | |

レベル1(工事区分) 道路改良

レベル2(工種) 路床盛土

[illegible]

レベル1(工事区分) 道路改良

レベル2(工種) 路床盛土

| 第 表 | | 路 床 盛 土 (B1) | | | | | | 数 量 計 算 書 (2) | | | | | | |
|---------------------------|---------|--------------|-------|---------|---------------|-----|--------|-----------------|-----|--------|--|-----|-----|-------------|
| 測 点 | 距 離 | B<2. 5m | | | 2. 5m≤W<4. 0m | | | W≥4. 0m | | | | | | 摘 要 |
| | | B1-1 | 平 均 | 立 積 | B1-2 | 平 均 | 立 積 | B1-3 | 平 均 | 立 積 | | 平 均 | 立 積 | |
| | | | | | | | | | | | | | | |
| KE7-2 (NO. 9+88. 147) | 0. 00 | | | | | | | | | | | | | |
| 工NO. 2+80 | 12. 57 | | | | | | | | | | | | | |
| 工BC5-0 (NO. 2+92. 68) | 12. 68 | 0. 0 | | | | | | | | | | | | |
| 工 (NO. 3+00) | 7. 32 | 0. 3 | 0. 15 | 1. 1 | | | | | | | | | | |
| 工 (NO. 3+20) | 20. 00 | 0. 0 | 0. 15 | 3. 0 | | | | | | | | | | |
| 工 (NO. 3+40) | 20. 00 | | | | | | | | | | | | | |
| 工BC6-0 (NO. 3+47. 403) | 7. 40 | | | | | | | | | | | | | |
| 工 (NO. 3+60) | 12. 60 | | | | | | | | | | | | | |
| 工 (NO. 3+74. 1) | 14. 10 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 小 計 | 106. 67 | | | 4. 1m3 | | | 0. 0m3 | | | 0. 0m3 | | | | |
| 合 計 | 310. 43 | | | 17. 0m3 | | | 0. 0m3 | | | 0. 0m3 | | | | 総 計 17. 0m3 |

レベル1(工事区分) 道路改良

レベル2(工種) 路体盛土

[illegible]

レベル1(工事区分) 道路改良

レベル2(工種) 路体盛土

| 第 表 路 体 盛 土 (B2) 数 量 計 算 書 (2) | | | | | | | | | | | | | | |
|----------------------------------|--------|--------|------|--------|-------------|-----|-------|--------|-----|-------|--|-----|-----|------------|
| 測 点 | 距 離 | B<2.5m | | | 2.5m≦W<4.0m | | | W≧4.0m | | | | | | 摘 要 |
| | | B2-1 | 平 均 | 立 積 | B2-2 | 平 均 | 立 積 | B2-3 | 平 均 | 立 積 | | 平 均 | 立 積 | |
| | | | | | | | | | | | | | | |
| KE7-2 (NO. 9+88.147) | 0.00 | 0.9 | | | | | | | | | | | | |
| 工NO. 2+80 | 12.57 | 1.0 | 0.95 | 11.9 | | | | | | | | | | |
| 工BC5-0 (NO. 2+92.68) | 12.68 | 2.1 | 1.55 | 19.7 | | | | | | | | | | |
| 工 (NO. 3+00) | 7.32 | 0.8 | 1.45 | 10.6 | | | | | | | | | | |
| 工 (NO. 3+20) | 20.00 | 0.0 | 0.40 | 8.0 | | | | | | | | | | |
| 工 (NO. 3+40) | 20.00 | | | | | | | | | | | | | |
| 工BC6-0 (NO. 3+47.403) | 7.40 | | | | | | | | | | | | | |
| 工 (NO. 3+60) | 12.60 | | | | | | | | | | | | | |
| 工 (NO. 3+74.1) | 14.10 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 小 計 | 106.67 | | | 50.2m3 | | | 0.0m3 | | | 0.0m3 | | | | |
| 合 計 | 310.43 | | | 82.4m3 | | | 0.0m3 | | | 0.0m3 | | | | 総 計 82.4m3 |

レベル1(工事区分) 道路改良

レベル2(工種) 法面整形工


[illegible]

レベル1(工事区分) 道路改良

レベル2(工種) 法面整形工

| 第 表 法面整形 数 量 計 算 書 (2) | | | | | | | | | | | | | | |
|---------------------------|---------|------------|-------|----------|------------|-----|----------|------------|-----|--------|------------|-------|---------|-----|
| 測 点 | 距 離 | 左側(切土法面整形) | | | 右側(切土法面整形) | | | 左側(盛土法面整形) | | | 右側(盛土法面整形) | | | 摘 要 |
| | | 法長 | 平 均 | 面 積 | 法長 | 平 均 | 面 積 | 法長 | 平 均 | 面 積 | 法長 | 平 均 | 面 積 | |
| | | | | | | | | | | | | | | |
| KE7-2 (NO. 9+88. 147) | 0. 00 | | | | | | | | | | 0. 0 | | | |
| 工NO. 2+80 | 12. 57 | | | | | | | | | | 2. 7 | 1. 35 | 17. 0 | |
| 工BC5-0 (NO. 2+92. 68) | 12. 68 | | | | | | | | | | 2. 8 | 2. 75 | 34. 9 | |
| 工 (NO. 3+00) | 7. 32 | 0. 0 | | | | | | | | | 2. 6 | 2. 70 | 19. 8 | |
| 工 (NO. 3+20) | 20. 00 | 1. 7 | 0. 85 | 17. 0 | | | | | | | 0. 0 | 1. 30 | 26. 0 | |
| 工 (NO. 3+40) | 20. 00 | 3. 8 | 2. 75 | 55. 0 | | | | | | | | | | |
| 工BC6-0 (NO. 3+47. 403) | 7. 40 | 4. 1 | 3. 95 | 29. 2 | | | | | | | | | | |
| 工 (NO. 3+60) | 12. 60 | 4. 3 | 4. 20 | 52. 9 | | | | | | | | | | |
| 工 (NO. 3+74. 1) | 14. 10 | 0. 0 | 2. 15 | 30. 3 | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 小 計 | 106. 67 | | | 184. 4m2 | | | 0. 0m2 | | | 0. 0m2 | | | 97. 7m2 | |
| 合 計 | 310. 43 | | | 184. 4m2 | | | 712. 7m2 | | | 0. 0m2 | | | 97. 7m2 | |
| 左右合計 | | | | | | | 897. 1m2 | | | | | | 97. 7m2 | |

伐開・除根 平面図 数量計算書



レベル1(工事区分) 道路改良

レベル2(工種) 排水構造物工

| レベル3(種別) | レベル4(細別) | レベル5(規格) | 積算用単位 | 数量計算用単位 | 数 量 区 分 | | | 合計 | | | | | | 内訳数量表別紙 | 備 考 |
|-----------|-----------------------------|--|-------|---------|----------------|-----------|-------|-------|-------|-----|-----|-----|-----|---------|-----|
| 作業土工 | | | 式 | m3 | | | | | | | | | | | |
| | 床掘り | | m3 | m3 | 合 計 | | | 28.8 | 28.8 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | 片切部 | 砂・砂質土 | | 28.8 | 28.8 | | | | | | |
| | | | | | | 礫質土 | | 0.0 | | | | | | | |
| | | | | m2 | 合 計 | | | 25.6 | 25.6 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | 基面整正 | | | 25.6 | 25.6 | | | | | | |
| | | | 0.0 | | | | | | | | | | | | |
| | 埋戻し | | m3 | m3 | 合 計 | | | 18.7 | 18.7 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | 埋戻し種別C | 土砂 | | 0.0 | 0.0 | | | | | | |
| | | | | | | 岩塊・玉石混じり土 | | 0.0 | | | | | | | |
| | | | | | 埋戻し種別D | 土砂 | | 18.7 | 18.7 | | | | | | |
| 岩塊・玉石混じり土 | | | | | | | 0.0 | | | | | | | | |
| 側溝工 | | | 式 | | | | | | | | | | | | |
| | 側溝工 | W=1.0 B300-H200 B300-H390 横断側溝 縦排水 | m | m | 合 計 | | | 380.3 | 380.3 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | 仮排水路 小段排水 横断側溝 縦排水 | | | | W=1.0 | | 314.7 | 314.7 | | | | | | | |
| | | | | | B300-H200 | | 57.7 | 57.7 | | | | | | | |
| | | | | | B300-H390 | | 4.0 | 4.0 | | | | | | | |
| | | | | | B250-H175 | | 3.9 | 3.9 | | | | | | | |
| | | | | | | | 0.0 | | | | | | | | |
| | 集水樹工 | | | | 式 | 箇所 | | | | | | | | | |
| | 集水樹 | B700-L700-H500 B500-L500-H500 | 箇所 | 箇所 | 合 計 | | | 6 | 6 | 0 | 0 | 0 | 0 | | |
| | 1号集水樹 2号集水樹 | | | | B700-L700-H500 | | 4 | 4 | | | | | | | |
| | | | | | B500-L500-H500 | | 2 | 2 | | | | | | | |
| | | | | | | | 0 | 0 | | | | | | | |
| | | | | | | | 0 | | | | | | | | |

排水構造物工数量集計表

[illegible]

| <div> 第 表 作業土工（小段排水）右側 数量計算書 </div> | | | | | | | | | | | |
|-------------------------------------|------|--------|------|------|----------------|------|-----|----------------|------|------|----------------|
| 測 点 | 距 離 | E (SE) | | | Fu | | | K | | | 摘 要 |
| | | 断 面 | 平 均 | 立 積 | 断 面 | 平 均 | 立 積 | 巾 | 平 均 | 平 積 | |
| | 0.0 | 0.2 | | | 0.1 | | | 0.3 | | | |
| NO. 9+00 | 5.6 | 0.2 | 0.20 | 1.1 | 0.1 | 0.10 | 0.6 | 0.3 | 0.30 | 1.7 | |
| NO. 9+20 | 20.0 | 0.2 | 0.20 | 4.0 | 0.1 | 0.10 | 2.0 | 0.3 | 0.30 | 6.0 | |
| NO. 9+40 | 20.0 | 0.2 | 0.20 | 4.0 | 0.1 | 0.10 | 2.0 | 0.3 | 0.30 | 6.0 | |
| KA7-1 (NO. 9+48.532) | 8.5 | 0.2 | 0.20 | 1.7 | 0.1 | 0.10 | 0.9 | 0.3 | 0.30 | 2.6 | |
| | 3.6 | 0.2 | 0.20 | 0.7 | 0.1 | 0.10 | 0.4 | 0.3 | 0.30 | 1.1 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 合 計 | 57.7 | | | 11.5 | m ³ | | 5.9 | m ³ | | 17.4 | m ² |

数量計算書


[illegible]


仮排水路


| 左側 | | | 右側 | | |
|-------------------------------|-----------|----|------------------------------|-----------|----|
| 測点 | 延長 ヶ所数 | 適用 | 測点 | 延長 ヶ所数 | 適用 |
| | | | | | |
| 工NO. 2 + 93.2 ~ 工NO. 3 + 68.1 | 74.6 | | NO. 7 + 84.4 ~ NO. 9 + 52.2 | 167.1 | |
| | | | NO. 9 + 52.7 | 15.1 | |
| | | | NO. 9 + 53.2 ~ 工NO. 2 + 92.2 | 57.9 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 計 | 74.6 | | 計 | 240.1 | |
| | | | | | |
| | | | 左右合計 | 314.7 | m |

| 1号集水桝 | | | | | | |
|-----------------|-----------|----|-----------------|-----------|----|----|
| 左側 | | | 右側 | | | |
| 測点 | 延長 ヶ所数 | 適用 | 測点 | 延長 ヶ所数 | 適用 | |
| N0.9 + 52.9 付近 | 1.0 | | 工NO.2 + 92.7 付近 | 1.0 | | |
| 工NO.2 + 92.7 付近 | 1.0 | | | | | |
| 工NO.3 + 68.5 付近 | 1.0 | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 計 | 3.0 | | 計 | 1.0 | | |
| | | | | | | |
| | | | 左右合計 | 4.0 | | 箇所 |

[illegible]


[illegible]


[illegible]



10m当たり


| 種 別 | 規 格 | 算 式 | 単位 | 単位当たり 数 量 |
|------------|-------------|---------------------------------|----------------|--------------|
| 基礎材 | RC-40,t=100 | 0.46×10.00 | m ² | 4.600 |
| 敷モルタル | 1:3 | $0.36 \times 0.03 \times 10.00$ | m ³ | 0.108 |
| プレキャスト横断側溝 | B300-H390 | $10 \div 2$ | 本 | 5.000 |
| グレーチング | T-25 ボルト固定 | | m | 10.000 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 作業土工 | | | | |
| 床 掘 | 砂質土 | 0.393×10 | m ³ | 3.930 |
| 埋戻し | 砂質土 | 0.230×10 | m ³ | 2.300 |
| 基面整正 | | 0.460×10 | m ³ | 4.600 |
| 残 土 | 砂質土 | $3.930 - 2.300 / 0.9$ | m ³ | 1.374 |
| | | | | |

[illegible]



1箇所当たり

| 種 別 | 規 格 | 算 式 | 単位 | 単位当たり 数 量 |
|--------|-------------------------------|---|----|--------------|
| コンクリート | $\sigma_{ck}=18\text{N/mm}^2$ | $1.000 \times 1.000 \times 0.750 - 0.700 \times 0.700 \times 0.519 - 0.840 \times 0.840 \times 0.081 - 1.000 \times 0.300 \times 1/2 \times 0.150 - 0.335 \times 0.300 \times 0.15$ | m3 | 0.401 |
| 型 枠 | 一般 | $1.000 \times 0.750 \times 4 + 0.700 \times 0.750 \times 4 - 1.000 \times 0.300 \times 1/2 \times 2 - 0.335 \times 0.300 \times 2$ | m2 | 4.599 |
| 基礎碎石 | RC-40, t=150 | 1.100×1.100 | m2 | 1.210 |
| グレーチング | T-25 | | 組 | 1.000 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 作業土工 | | | | |
| 床 掘 | 砂質土 | $2.000 \times 2.000 \times 0.700$ | m3 | 2.800 |
| 埋戻し | 砂質土 | $2.800 - (1.100 \times 1.100 \times 0.150 + 1.000 \times 1.000 \times 0.550)$ | m3 | 2.069 |
| 基面整正 | | 1.100×1.100 | m3 | 1.210 |
| | | | | |
| | | | | |



1箇所当たり

| 種 別 | 規 格 | 算 式 | 単位 | 単位当たり 数 量 |
|--------|-------------------------------|--|----|--------------|
| コンクリート | $\sigma_{ck}=18\text{N/mm}^2$ | $0.800 \times 0.800 \times 0.650 - 0.500 \times 0.500 \times 0.500 - 0.300 \times 0.200 \times 0.150 \times 2$ | m3 | 0.273 |
| 型 枠 | 一般 | $0.800 \times 0.650 \times 4 + 0.500 \times 0.650 \times 4 - 0.300 \times 0.200 \times 2$ | m2 | 3.260 |
| 基礎碎石 | RC-40,t=150 | 0.900×0.900 | m2 | 0.810 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 作業土工 | | | | |
| 床 掘 | 砂質土 | $1.80 \times 1.80 \times 0.70$ | m3 | 2.268 |
| 埋戻し | 砂質土 | $2.268 - (0.90 \times 0.90 \times 0.15 + 0.80 \times 0.80 \times 0.55)$ | m3 | 1.795 |
| 基面整正 | | 0.900×0.900 | m3 | 0.810 |
| | | | | |
| | | | | |

レベル1(工事区分) 舗装

レベル2(工種) 舗装工

| レベル3(種別) | レベル4(細別) | レベル5(規格) | 積算用 単位 | 数量計 算用単 | 数 量 区 分 | | | 合計 | | | | | | 内訳数量表 別紙 | 備 考 | |
|-----------|----------|--|-----------|------------|----------|-------------|-----|---------|---------|-----|-----|-----|-----|-------------|-------|--|
| アスファルト舗装工 | | | 式 | m2 | | | | | | | | | | | | |
| | 不陸整正 | [補足材種類、補足材規格、 補足材整正厚] | m2 | m2 | 合 計 | | | 1,288.2 | 1,288.2 | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| | | | | | 車道 | | | 1,288.2 | 1,288.2 | | | | | | | |
| | | | | | 歩道 | | | 0.0 | | | | | | | | |
| | 路盤 | 再生クラッシャーラン、RC-40、 t=15cm | m2 | m2 | 合 計 | | | 1,444.3 | 1,444.3 | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| | | | | | 車道 | | | 1,444.3 | 1,444.3 | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 表層 | 再生粗粒度アスコン、t=5cm | m2 | m2 | 合 計 | | | 1,444.3 | 1,444.3 | 0.0 | 0.0 | 0.0 | 0.0 | | W:施工幅 | |
| | | | | | 車道 | W>3.0m | | 1,444.3 | 1,444.3 | | | | | | | |
| | | | | | | 1.4m≦W≦3.0m | | 0.0 | | | | | | | | |
| | | | | | | W<1.4m | | 0.0 | | | | | | | | |
| | プライムコート | PK-3 1.2ℓ/m2 | m2 | m2 | 合 計 | | | 1,444.3 | 1,444.3 | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| | | | | | 車道 | | | 1,444.3 | 1,444.3 | | | | | | | |
| 歩道 | | | | | | | 0.0 | | | | | | | | | |
| コンクリート舗装工 | | | 式 | m2 | | | | | | | | | | | | |
| | 路盤 | 再生クラッシャーラン(RC-40) t=15cm | m2 | m2 | 合 計 | | | 57.4 | 57.4 | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| | | | | | 車道 | | | 0.0 | | | | | | | | |
| | | | | | 歩道 | | | 57.4 | 57.4 | | | | | | | |
| | プライムコート | PK-3 1.2ℓ/m2 | m2 | m2 | 合 計 | | | 57.4 | 57.4 | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| | | | | | 車道 | | | 0.0 | | | | | | | | |
| | | | | | 歩道 | | | 57.4 | 57.4 | | | | | | | |
| | コンクリート舗装 | σ _{ck} =18N/mm2 t=10cm | m2 | m2 | 合 計 | | | 57.4 | 57.4 | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| | | | | | 車道 | 人力舗設 | | 0.0 | | | | | | | | |
| | | | | | 歩道 | 人力舗設 | | 57.4 | 57.4 | | | | | | | |
| | 横目地 | 伸縮目地 B=10mm h=70mm | m | m | 合 計 | | | 0.4 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | | | |
| | | | | | 舗装厚t=7cm | | | 0.4 | 0.4 | | | | | | | |
| | | | | | | | | 0.0 | | | | | | | | |

鋪 裝 工 数 量 集 計 表

[illegible]

レベル1(工事区分) 道路改良

レベル2(工種) 不陸整正

[illegible]

レベル1(工事区分) 道路改良

レベル2(工種) 不陸整正

| 第 表 | | 不陸整正 | | | 数 量 計 算 書 (2) | | | | | | | | | |
|---------------------------|---------|----------|-------|-----------|-----------------|-----|--------|--|-----|--------|--|-----|--------|-----|
| 測 点 | 距 離 | 不陸整正(WF) | | | | | | | | | | | | 摘 要 |
| | | 幅 | 平 均 | 面 積 | 幅 | 平 均 | 面 積 | | 平 均 | 面 積 | | 平 均 | 面 積 | |
| | | | | | | | | | | | | | | |
| KE7-1 (NO. 9+75. 754) | 0. 00 | 4. 28 | | | | | | | | | | | | |
| NO. 9+80 | 4. 25 | 4. 46 | 4. 37 | 18. 6 | | | | | | | | | | |
| KE7-2 (NO. 9+88. 147) | 8. 15 | 4. 98 | 4. 72 | 38. 5 | | | | | | | | | | |
| 工NO. 2+80 | 12. 57 | 4. 00 | 4. 49 | 56. 4 | | | | | | | | | | |
| 工BC5-0 (NO. 2+92. 68) | 12. 68 | 4. 00 | 4. 00 | 50. 7 | | | | | | | | | | |
| 工 (NO. 3+00) | 7. 32 | 2. 82 | 3. 41 | 25. 0 | | | | | | | | | | |
| 工 (NO. 3+8. 5) | 8. 50 | 4. 00 | 3. 41 | 29. 0 | | | | | | | | | | |
| 工 (NO. 3+20) | 11. 50 | 5. 49 | 4. 75 | 54. 6 | | | | | | | | | | |
| 工 (NO. 3+33. 5) | 13. 50 | 7. 00 | 6. 25 | 84. 4 | | | | | | | | | | |
| 工 (NO. 3+40) | 6. 50 | 7. 00 | 7. 00 | 45. 5 | | | | | | | | | | |
| 工BC6-0 (NO. 3+47. 403) | 7. 40 | 7. 00 | 7. 00 | 51. 8 | | | | | | | | | | |
| 工 (NO. 3+60) | 12. 60 | 7. 00 | 7. 00 | 88. 2 | | | | | | | | | | |
| 工 (NO. 3+74. 1) | 8. 40 | 7. 00 | 7. 00 | 58. 8 | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 小 計 | 113. 37 | | | 601. 5m2 | | | 0. 0m2 | | | 0. 0m2 | | | 0. 0m2 | |
| 合 計 | 304. 73 | | | 1288. 2m2 | | | 0. 0m2 | | | 0. 0m2 | | | 0. 0m2 | |

レベル1(工事区分) 道路改良

レベル2(工種) 車道舗装

[illegible]

レベル1(工事区分) 道路改良

レベル2(工種) 車道舗装

| 第 表 | | 車道舗装 | | | | | | 数 量 計 算 書 (2) | | | | | | |
|---------------------------|---------|------------|-------|-----------|-------------|-------|-----------|-----------------|-----|--------|--|-----|--------|-----|
| 測 点 | 距 離 | 表層 (t=5cm) | | | 路盤 (t=15cm) | | | | | | | | | 摘 要 |
| | | 幅 | 平 均 | 面 積 | 幅 | 平 均 | 面 積 | | 平 均 | 面 積 | | 平 均 | 面 積 | |
| | | | | | | | | | | | | | | |
| KE7-1 (NO. 9+75. 754) | 0. 00 | 4. 28 | | | 4. 28 | | | | | | | | | |
| NO. 9+80 | 4. 25 | 4. 46 | 4. 37 | 18. 6 | 4. 46 | 4. 37 | 18. 6 | | | | | | | |
| KE7-2 (NO. 9+88. 147) | 8. 15 | 4. 98 | 4. 72 | 38. 5 | 4. 98 | 4. 72 | 38. 5 | | | | | | | |
| 工NO. 2+80 | 12. 57 | 4. 00 | 4. 49 | 56. 4 | 4. 00 | 4. 49 | 56. 4 | | | | | | | |
| 工BC5-0 (NO. 2+92. 68) | 12. 68 | 4. 00 | 4. 00 | 50. 7 | 4. 00 | 4. 00 | 50. 7 | | | | | | | |
| 工 (NO. 3+00) | 7. 32 | 4. 00 | 4. 00 | 29. 3 | 4. 00 | 4. 00 | 29. 3 | | | | | | | |
| 工 (NO. 3+8. 5) | 8. 50 | 4. 00 | 4. 00 | 34. 0 | 4. 00 | 4. 00 | 34. 0 | | | | | | | |
| 工 (NO. 3+20) | 11. 50 | 5. 49 | 4. 75 | 54. 6 | 5. 49 | 4. 75 | 54. 6 | | | | | | | |
| 工 (NO. 3+33. 5) | 13. 50 | 7. 00 | 6. 25 | 84. 4 | 7. 00 | 6. 25 | 84. 4 | | | | | | | |
| 工 (NO. 3+40) | 6. 50 | 7. 00 | 7. 00 | 45. 5 | 7. 00 | 7. 00 | 45. 5 | | | | | | | |
| 工BC6-0 (NO. 3+47. 403) | 7. 40 | 7. 00 | 7. 00 | 51. 8 | 7. 00 | 7. 00 | 51. 8 | | | | | | | |
| 工 (NO. 3+60) | 12. 60 | 7. 00 | 7. 00 | 88. 2 | 7. 00 | 7. 00 | 88. 2 | | | | | | | |
| 工 (NO. 3+74. 1) | 8. 40 | 7. 00 | 7. 00 | 58. 8 | 7. 00 | 7. 00 | 58. 8 | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 小 計 | 113. 37 | | | 610. 8m2 | | | 610. 8m2 | | | 0. 0m2 | | | 0. 0m2 | |
| 合 計 | 304. 73 | | | 1444. 3m2 | | | 1444. 3m2 | | | 0. 0m2 | | | 0. 0m2 | |

第 表

里道舗装(コンクリート舗装)

数量計算書 (1)

[illegible]

レベル1(工事区分) 道路改良


レベル2(工種) 防護柵工

[illegible]

転落防止柵H=1.1m 延長調書

| 左側 | | | 右側 | | |
|-----|-------|----|---------------------|--------|----|
| 位置 | 延長・箇所 | 摘要 | 位置 | 延長・箇所 | 摘要 |
| | | | NO.8+79.0～NO.9+34.1 | 57.4 | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| 左 計 | | | 右 計 | 57.4 | |
| | | | 合 計 | 57.4 m | |

転落防止柵 H=1.1m 計算書

[illegible]

レベル1(工事区分) 道路改良

レベル2(工種) 構造物撤去工

| レベル3(種別) | レベル4(細別) | レベル5(規格) | 積算用単位 | 数量計算用単位 | 数 量 区 分 | | | 合計 | | | | | | 内訳数量表別紙 | 備 考 |
|----------|--------------|---------------------------------|-------|---------|---------|-------------|--|-------|-------|-----|-----|-----|-----|---------|-------------|
| 道路付属物撤去工 | | | 式 | | | | | | | | | | | | |
| | フェンス撤去(金網) | | m | m | 合 計 | | | 310.5 | 310.5 | 0 | 0 | 0 | 0 | | |
| | | | | | | | | 310.5 | 310.5 | | | | | | |
| | | | | | | | | 0.0 | | | | | | | |
| | | | | | | | | 0.0 | | | | | | | |
| | | | | | | | | 0.0 | | | | | | | |
| | | | | | | | | 0.0 | | | | | | | |
| 構造物取壊し工 | | | 式 | | | | | | | | | | | | |
| | コンクリート構造物取壊し | | m3 | m3 | 合 計 | | | 19.3 | 19.3 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | 無筋構造物 | H<-5m | | 19.3 | 19.3 | | | | | | H:施工基面からの高さ |
| | | | | | | -5m≤H≤5m | | 0.0 | | | | | | | |
| | | | | | | 5m<H | | 0.0 | | | | | | | |
| | 舗装版取壊し | [舗装版種別、舗装版厚] アスファルト舗装版 t=5cm | m2 | m2 | 合 計 | | | 990.9 | 990.9 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | 機械施工 | t≤10cm | | 990.9 | 990.9 | | | | | 4-16 | t:舗装版厚さ |
| | | | | | | 10cm<t≤15cm | | 0.0 | | | | | | | |
| | | | | | | 15cm<t≤35cm | | 0.0 | | | | | | | |
| | | | | | | 35cm<t≤40cm | | 0.0 | | | | | | | |
| | 舗装版切断 | アスファルト舗装版 t=5cm | m | m | 合 計 | | | 8.1 | 8.1 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | | t≤20cm | | 8.1 | 8.1 | | | | | | t:舗装版厚さ |
| | | | | | | 20cm<t≤40cm | | 0.0 | | | | | | | |
| 運搬処理工 | | | 式 | m3 | | | | | | | | | | | |
| | 殻運搬処理 | 無筋コンクリート殻 | m3 | m3 | 合 計 | | | 19.3 | 19.3 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | | | | 19.3 | 19.3 | | | | | | |
| | | | | | | | | 0.0 | | | | | | | |
| | | アスファルト | m3 | m3 | 合 計 | | | 49.5 | 49.5 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | | | | 49.5 | 49.5 | | | | | | |
| | | | | | | | | 0.0 | | | | | | | |
| | 現場発生品運搬 | フェンス(金網) | m | m | 合 計 | | | 310.5 | 310.5 | 0.0 | 0.0 | 0.0 | 0.0 | | |
| | | | | | | | | 310.5 | 310.5 | | | | | | |
| | | | | | | | | 0.0 | | | | | | | |

レベル1(工事区分) 道路改良

レベル2(工種) コンクリート撤去

| 第 表 | | 構造物撤去工 | | | | | | 数 量 計 算 書 (1) | | | | | | |
|-------------------------|--------|----------|------|--------|--|-----|-----|-----------------|-----|-----|--|-----|-----|-----|
| 測 点 | 距 離 | コンクリート撤去 | | | | | | | | | | | | 摘 要 |
| | | Co (P) | 平 均 | 立 積 | | 平 均 | 立 積 | | 平 均 | 立 積 | | 平 均 | 立 積 | |
| | | | | | | | | | | | | | | |
| NO. 7+84.385 | 0.00 | | | | | | | | | | | | | |
| NO. 8+00 | 15.61 | | | | | | | | | | | | | |
| KA6-1 (NO. 8+15.595) | 15.60 | | | | | | | | | | | | | |
| NO. 8+20 | 4.40 | | | | | | | | | | | | | |
| NO. 8+40 | 20.00 | | | | | | | | | | | | | |
| KE6-1 (NO. 8+49.345) | 9.34 | | | | | | | | | | | | | |
| KE6-2 (NO. 8+53.932) | 4.59 | | | | | | | | | | | | | |
| NO. 8+60 | 6.07 | 0.0 | | | | | | | | | | | | |
| NO. 8+80 | 20.00 | 0.1 | 0.05 | 1.0 | | | | | | | | | | |
| KA6-2 (NO. 8+87.682) | 7.68 | 0.1 | 0.10 | 0.8 | | | | | | | | | | |
| NO. 9+00 | 12.32 | 0.2 | 0.15 | 1.8 | | | | | | | | | | |
| NO. 9+20 | 20.00 | 0.2 | 0.20 | 4.0 | | | | | | | | | | |
| NO. 9+40 | 20.00 | 0.0 | 0.10 | 2.0 | | | | | | | | | | |
| KA7-1 (NO. 9+48.532) | 8.53 | | | | | | | | | | | | | |
| NO. 9+60 | 11.47 | 0.0 | | | | | | | | | | | | |
| KE7-1 (NO. 9+75.754) | 15.75 | 0.2 | 0.10 | 1.6 | | | | | | | | | | |
| NO. 9+80 | 4.25 | 0.2 | 0.20 | 0.9 | | | | | | | | | | |
| KE7-2 (NO. 9+88.147) | 8.15 | 0.4 | 0.30 | 2.4 | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 小 計 | 203.76 | | | 14.5m3 | | | | | | | | | | |
| | | | | | | | | | | | | | | |

| 第 表 | | 構造物撤去工 | | | | | | 数 量 計 算 書 (2) | | | | | |
|-----|--|--------|--|--|--|--|--|-----------------|--|--|--|--|--|
|-----|--|--------|--|--|--|--|--|-----------------|--|--|--|--|--|

レベル1(工事区分) 道路改良

レベル2(工種) コンクリート撤去

[illegible]

レベル1(工事区分) 道路改良

レベル2(工種) アスファルト撤去

[illegible]

レベル1(工事区分) 道路改良


レベル2(工種) アスファルト撤去

| 第 表 | | 構造物撤去工 | | | | | | 数 量 計 算 書 (2) | | | | | | |
|---------------------------|---------|-----------------|-------|----------|-----------------|-----|---------|-----------------|-----|-------|--|-----|-----|-----|
| 測 点 | 距 離 | アスファルト舗装撤去t=5cm | | | | | | 舗装版切断 (t=5cm) | | | | | | 摘 要 |
| | | As (5) | 平 均 | 面 積 | | 平 均 | 延長 | | 平 均 | 立 積 | | 平 均 | 立 積 | |
| | | | | | | | | | | | | | | |
| KE7-2 (NO. 9+88. 147) | 0. 00 | 5. 25 | | | | | | | | | | | | |
| 工NO. 2+80 | 12. 57 | 4. 63 | 4. 94 | 62. 1 | | | | | | | | | | |
| 工BC5-0 (NO. 2+92. 68) | 12. 68 | 3. 87 | 4. 25 | 53. 9 | | | | | | | | | | |
| 工 (NO. 3+00) | 7. 32 | 3. 99 | 3. 93 | 28. 8 | | | | | | | | | | |
| 工 (NO. 3+20) | 20. 00 | 0. 00 | 2. 00 | 40. 0 | | | | | | | | | | |
| 工 (NO. 3+40) | 20. 00 | | | | | | | | | | | | | |
| 工BC6-0 (NO. 3+47. 403) | 7. 40 | | | | | | | | | | | | | |
| 工 (NO. 3+60) | 12. 60 | | | | | | | | | | | | | |
| 工 (NO. 3+74. 1) | 14. 10 | | | | | | | | | 4. 1 | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 小 計 | 106. 67 | | | 184. 8m2 | | | | | | 4. 1m | | | | |
| 合 計 | 310. 43 | | | 990. 9m2 | V=990. 9×0. 05= | | 49. 5m3 | | | 8. 1m | | | | |

フェンス撤去 延 長 調 書

| 左 側 | | | | 右 側 | | | |
|------------------------------|---------|-----|--|-----------------------------|---------|-----|--|
| 位 置 | 延 長・箇 所 | 摘 要 | | 位 置 | 延 長・箇 所 | 摘 要 | |
| NO.8 + 0.0 工事NO.3 + 4.3 | 227.4 | | | 工事NO+ 10.3 ~ 工事NO.3+69.6 | 73.5 | | |
| NO.9 + 52.2 | 9.6 | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 左 計 | 237.0 | | | 右 計 | 73.5 | | |
| | | | | 合 計 | 310.5 | m | |

構造物撤去工平面図 数量計算書



[illegible][illegible]