

数 量 総 括 表

工事名： 市道 小童36号線

| 工 種 | 種 別 | 細 別 | 単位 | 数量 | 設計数量 | 備 考 |
|--------|-----------|-----------|----|-------|-------|-----------|
| 土 工 | | | | | | |
| | 機械掘削 | 砂質土 | m3 | 31.7 | 30.0 | |
| | 表土剥ぎ取り | 粘性土 | m3 | 0.0 | 0.0 | |
| | 路床盛土 | W≦1.0 | m3 | 0.0 | 0.0 | |
| | 〃 | 1.0≦W<2.5 | m3 | 56.3 | 60.0 | |
| | 〃 | 2.5≦W<4.0 | m3 | 0.0 | 0.0 | |
| | 路体盛土 | W≦1.0 | m3 | 0.0 | 0.0 | |
| | 〃 | 1.0≦W<2.5 | m3 | 162.3 | 160.0 | |
| | 路肩盛土 | | m3 | 3.5 | 4.0 | |
| | 畦畔盛土 | | m3 | 0.0 | 0.0 | |
| | 切土法面整形 | 砂質土 | m2 | 3.2 | 3.0 | |
| | 盛土法面整形 | | m2 | 204.4 | 200.0 | |
| とりこわし工 | | | | | | |
| | 舗装剥ぎ取り | t = 5cm | m2 | 266.6 | 270.0 | |
| | コンクリート取壊し | 無筋構造 | m3 | 9.9 | 10.0 | |
| | | | | | | |
| 購入土 | | リサイクル土 | m3 | 218.1 | 220.0 | |
| | | | | | | |
| 捨 土 | | 粘性土 | m3 | 0.0 | 0.0 | |
| | | | | | | |
| 産 廃 | | | | | | |
| | 運 搬 | ホソーガラ | m3 | 13.3 | 13.0 | |
| | | コンクリートガラ | m3 | 9.9 | 10.0 | |
| | 産 廃 | ホソーガラ | t | 31.3 | 31.0 | |
| | | コンクリートガラ | t | 23.3 | 23.0 | |
| | | | | | | |
| 撤 去 工 | | | | | | |
| | U字フリューム | 200 | m | 49.7 | 50.0 | 44kg/m |
| | ベンチフリューム | 200 | m | 0.0 | | |
| | ベンチフリューム | 250 | m | 0.0 | | |
| | 角フリューム | 250 | m | 0.0 | | |
| | 角フリューム | 300 | m | 5.5 | 6.0 | 70kg/m |
| | PU-3側溝 | 250 | m | 0.0 | | |
| | フューム管 | 200 | m | 13.5 | 14.0 | 51.5kg/m |
| | フューム管 | 250 | m | 0.0 | | |
| | フューム管 | 300 | m | 0.0 | | |
| | 大型フリューム | 1000X800 | m | 6.0 | 6.0 | 514.5kg/m |
| | 大型フリューム | 1200X800 | m | 0.0 | | |
| | BOXカルバート | 1500X1500 | m | 0.0 | | |
| | ガードレール | Gr-C-4E | m | 0.0 | | |
| 処分 | 鉄筋コンクリート | | m3 | 2.5 | 3.0 | |
| | 鉄筋コンクリート | | t | 6.4 | 6.0 | |
| | | | | | | |

数量総括表

工事名： 市道 小童36号線

| 工 種 | 種 別 | 細 別 | 単位 | 数量 | 設計数量 | 備 考 |
|------------|-------------|-----------------------------|----|------|------|--------|
| 法 面 工 | | | | | | |
| | 切土法面 | 植生基材吹付 | m2 | 0.0 | 0.0 | |
| | 盛土法面 | 張 芝 | m2 | 94.8 | 90.0 | |
| | 防草コンクリート(A) | 切土面 t=7cm | m2 | 0.0 | 0.0 | |
| | 防草コンクリート(B) | 盛土面 t=7cm | m2 | 41.2 | 41.0 | |
| | | | | | | |
| 擁 壁 工 | | | | | | |
| | 作業土工 | 床 堀 | m3 | 26.7 | 30.0 | |
| | 〃 | 埋 戻 し | m3 | 9.8 | 10.0 | 区分 (C) |
| | 〃 | 埋 戻 し | m3 | 6.0 | 6.0 | 区分 (D) |
| | 〃 | 基面整正 | m2 | 13.2 | 10.0 | |
| | | | | | | |
| (1号コンクリート) | | | | | | |
| | コンクリート | $\sigma_{ck}=18\text{N/mm}$ | m3 | 4.0 | 4.0 | |
| | 型 枠 | 無筋構造 | m2 | 18.1 | 18.0 | |
| | 基礎砕石 | RC-40 | m2 | | | |
| | 均しコンクリート | $\sigma_{ck}=18\text{N/mm}$ | m3 | 0.5 | 0.5 | |
| | 均し型枠 | 均し型枠 | m2 | 1.4 | 1.0 | |
| (2号コンクリート) | | | | | | |
| | コンクリート | $\sigma_{ck}=18\text{N/mm}$ | m3 | 7.0 | 7.0 | |
| | 型 枠 | 無筋構造 | m2 | 24.8 | 25.0 | |
| | 基礎砕石 | RC-40 | m2 | 8.5 | 9.0 | |
| (4号コンクリート) | | | | | | |
| | コンクリート | $\sigma_{ck}=18\text{N/mm}$ | m3 | 1.7 | 2.0 | |
| | 型 枠 | 無筋構造 | m2 | 6.2 | 6.0 | |
| | 基礎砕石 | RC-40 | m2 | 2.7 | 3.0 | |
| (嵩上コンクリート) | コンクリート | $\sigma_{ck}=18\text{N/mm}$ | m3 | | | |
| | 型 枠 | 無筋構造 | m2 | | | |
| 排 水 工 | | | | | | |
| | 作業土工 | 床 堀 | m3 | 23.9 | 20.0 | |
| | 〃 | 埋 戻 し | m3 | 32.5 | 30.0 | 区分 (D) |
| | 〃 | 基面整正 | m2 | 42.4 | 40.0 | |
| | | | | | | |

数 量 総 括 表

工事名： 市道 小童36号線

| 工 種 | 種 別 | 細 別 | 単位 | 数量 | 設計数量 | 備 考 |
|-----|------------|-------------------------|----|------|------|-----|
| | 1号U型側溝 | PU3-B300-H300 | m | 62.7 | 63.0 | |
| | 2号U型側溝 | PU3-B300-H300 | m | 0.0 | | |
| | 3号U型側溝 | PU3-B300-H300 | m | 0.0 | | |
| | 4号U型側溝 | PU1-B300-H300 | m | 0.0 | | |
| | 5号U型側溝 | PU1-B450-H450 | m | 6.2 | 6.0 | |
| | 6号U型側溝 | PU1-B450-H450 | m | 1.5 | 2.0 | |
| | 7号U型側溝 | PU3-B300-H400 | m | 0.0 | | |
| | 8号U型側溝 | PU3-B300-H500 | m | 0.0 | | |
| | L型側溝 | 250-B | m | 0.0 | | |
| | 1号U型水路 | KF-200 | m | 0.0 | | |
| | 2号U型水路 | KF-250 | m | 0.0 | | |
| | 3号U型水路 | 大型フリューム 1200X800 | m | 0.0 | | |
| | 1号管渠工 | 重圧管 Φ150 | m | 5.0 | 5.0 | |
| | 2号管渠工 | 重圧管 Φ200 | m | 0.0 | | |
| | 3号管渠工 | 重圧管 Φ250 | m | 0.0 | | |
| | 4号管渠工 | 重圧管 Φ300 | m | 0.0 | | |
| | 5号管渠工 | P1-RC-D250 | m | 0.0 | | |
| | 1号集水桝 | プレキャスト 300X300X600 | 箇所 | 2.0 | 2.0 | |
| | 2号集水桝 | プレキャスト 300X600X800 | 箇所 | 0.0 | | |
| | 3号集水桝 | 500X500X600 | 箇所 | 0.0 | | |
| | 4号集水桝 | 600X1100X1100 | 箇所 | 1.0 | 1.0 | |
| | VU150 | | m | | | |
| | 分水溝 | 片口分水200 | 箇所 | | | |
| | 圍場桝 | 600型 | 箇所 | | | |
| | 1号底張コンクリート | コンクリート σ ck=18N/mm | m3 | 0.7 | 0.7 | |
| | | 均しコンクリート σ ck=18N/mm | m3 | 0.3 | 0.3 | |
| | 2号底張コンクリート | コンクリート σ ck=18N/mm | m3 | | | |
| | | 均しコンクリート σ ck=18N/mm | m3 | | | |
| | コンクリート蓋 | PC4-B300 | 枚 | | | |
| | グレーチング蓋 | T-25 B300 | 枚 | | | |
| | | | | | | |

数量総括表

工事名：市道 小童36号線

| 工 種 | 種 別 | 細 別 | 単位 | 数量 | 設計数量 | 備 考 |
|------------|-------|---------------------------|----|-------|-------|--------|
| 函 渠 工 | | | | | | |
| | 作業土工 | 床 堀 | m3 | 29.8 | 30.0 | |
| | 〃 | 埋 戻 し | m3 | 26.8 | 30.0 | 区分 (C) |
| | 〃 | 基面整正 | m2 | 13.6 | 10.0 | |
| | | | | | | |
| | 1号函渠工 | BOX 1250X1250 | m | 8.0 | 8.0 | 構造図 |
| | 2号函渠工 | BOX 1500X1500 | m | 0.0 | 0.0 | 〃 |
| | 1号呑口工 | | 箇所 | 0.0 | 0.0 | 〃 |
| | 1号吐口工 | | 箇所 | 0.0 | 0.0 | 〃 |
| | 2号呑口工 | | 箇所 | 1.0 | 1.0 | 〃 |
| | 2号吐口工 | | 箇所 | 1.0 | 1.0 | 〃 |
| | | | | | | |
| 舗 装 工 | | | | | | |
| (車道舗装) | 表 層 | 密粒度AS t=5cm | m2 | 327.4 | 327.0 | |
| | 上層路盤 | 粒調碎石t=10cm | m2 | 333.5 | 334.0 | |
| | 下層路盤 | 切込碎石t=15cm | m2 | 340.3 | 340.0 | |
| (路肩舗装) | | | | | | |
| | 表 層 | 密粒度AS t=5cm | m2 | 0.0 | 0.0 | |
| | 路 盤 | 切込碎石t=10cm | m2 | 0.0 | 0.0 | |
| (コンクリート舗装) | | | | | | |
| | 表 層 | σ ck=18N/mm t=10cm | m2 | 17.8 | 20.0 | |
| | 路 盤 | 切込碎石t=15cm | m2 | 17.8 | 20.0 | |

数 量 総 括 表

工事名： 市道 小童36号線

| 工 種 | 種 別 | 細 別 | 単位 | 数量 | 設計数量 | 備 考 |
|------|------------|-----------|----|------|------|--------|
| 防護柵工 | | | | | | |
| | ガードレール | Gr-C-2B | m | 11.1 | 11.0 | |
| | 〃 | Gr-C-4E | m | 36.4 | 36.0 | |
| | 1号ガードレール基礎 | | m | 0.0 | 0.0 | |
| | 2号ガードレール基礎 | | m | 0.0 | 0.0 | |
| | ガードパイプ | H=1100 4段 | m | 0.0 | 0.0 | |
| 雑 工 | | | | | | |
| | 作業土工 | 床 堀 | m3 | 0.0 | 0.0 | |
| | 〃 | 埋 戻 し | m3 | 0.0 | 0.0 | 区分 (D) |
| | 〃 | 基面整正 | m2 | 0.0 | 0.0 | |
| | | | | | | |
| | 芝台ブロック | H=500 | m | 0.0 | 0.0 | |
| | 地先ブロック | 150X150 | m | 0.0 | | |
| | 歩車道境界ブロック | C種 h=300 | m | 0.0 | | |
| | 足掛金具 | | 個 | 0.0 | | |
| | 張コンクリート | t = 7 cm | m2 | 53.6 | 50.0 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

土量配分表

(単位 : m3)

掘削

| | | |
|------|--------|------|
| 機械掘削 | C (E) | 31.7 |
|------|--------|------|

| | | |
|--------|--------|-----|
| 表土剥ぎ取り | C (C) | 0.0 |
|--------|--------|-----|

| | | |
|-----------|--|-------|
| 購入土(地山土量) | | 218.1 |
|-----------|--|-------|

床掘

| | | |
|------|--------|------|
| 擁壁工 | E (E) | 26.7 |
| | | |
| 排水工 | E (E) | 23.9 |
| 函渠工 | E (E) | 29.8 |
| 雑工 | E (E) | 0 |
| 床掘合計 | | 80.4 |

盛土

| | |
|--------------|-------|
| 路床盛土 B1 (a) | 0 |
| B1 (b) | 56.3 |
| B1 (c) | 0 |
| 路体盛土 B2 (a) | 0 |
| B2 (b) | 162.3 |
| 路肩盛土 B3 | 3.5 |
| 盛土合計(締固め土量) | 222.1 |

埋戻し

| | |
|---------------|------|
| 擁壁工 FU (C) | 9.8 |
| FU (D) | 6 |
| 排水工 FU (D) | 32.5 |
| 函渠工 FU (C) | 26.8 |
| 雑 工 FU (D) | 0.0 |
| 埋戻し合計 (締固め土量) | 75.1 |

計算書

[illegible]

計算書

[illegible]

土 工 計 算 書

| 測 点 | 距離 | 路体盛土 | | | 路体盛土 | | | | | |
|--------|------|-------|------|-----|-------|------|-------|--|----|---|
| | | B2(a) | 平均 | 積 | B2(b) | 平均 | 積 | | 平均 | 積 |
| | | | | | 0.0 | | | | | |
| NO. 10 | 6.0 | | | | 2.0 | 1.00 | 6.0 | | | |
| SP. 3 | 3.3 | | | | 1.0 | 1.50 | 5.0 | | | |
| | 1.4 | | | | 0.0 | 0.50 | 0.7 | | | |
| NO. 11 | | | | | 0.0 | | | | | |
| EC. 3 | 13.3 | | | | 0.0 | 0.00 | | | | |
| NO. 12 | 6.7 | | | | 0.0 | 0.00 | | | | |
| NO. 13 | 20.0 | | | | 0.4 | 0.20 | 4.0 | | | |
| BC. 4 | 18.8 | | | | 3.8 | 2.10 | 39.5 | | | |
| NO. 15 | 21.2 | | | | 6.3 | 5.05 | 107.1 | | | |
| SP. 4 | 11.3 | | | | 9.4 | 7.85 | | | | |
| NO. 16 | 8.7 | | | | 1.7 | 5.55 | | | | |
| NO. 17 | 20.0 | | | | 0.0 | 0.85 | | | | |
| | | 0.0 | | | | | | | | |
| NO. 18 | 11.0 | 0.5 | 0.25 | | | | | | | |
| BC. 5 | 3.8 | 0.5 | 0.50 | | | | | | | |
| SP. 5 | 13.3 | 0.0 | 0.25 | | | | | | | |
| | | 0.0 | | | | | | | | |
| BC. 6 | 3.5 | 1.1 | 0.55 | | | | | | | |
| NO. 20 | 3.8 | 3.8 | 2.45 | | | | | | | |
| SP. 6 | 8.3 | 0.9 | 2.35 | | | | | | | |
| EC. 6 | 12.2 | 0.0 | 0.45 | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 計 | | | | 0.0 | | | 162.3 | | | |

[illegible]

土 工

計算書

| 測点 | 距離 | 切土法面整形 | | | | | | | | |
|-----------|------|--------|------|-----|--|----|---|--|----|---|
| | | L1 | 平均 | 積 | | 平均 | 積 | | 平均 | 積 |
| (左側) | | | | | | | | | | |
| | | 0.6 | | | | | | | | |
| NO. 9 | 4.2 | 0.6 | 0.60 | | | | | | | |
| | 5.4 | 0.6 | 0.60 | 3.2 | | | | | | |
| | | 0.0 | | | | | | | | |
| BC. 6 | 5.7 | 0.5 | 0.25 | | | | | | | |
| NO. 20 | 4.2 | 0.6 | 0.55 | | | | | | | |
| | 4.7 | 0.0 | 0.30 | | | | | | | |
| BC. 7 | | 0.0 | | | | | | | | |
| | 5.0 | 1.7 | 0.85 | | | | | | | |
| | 0.8 | 1.7 | 1.70 | | | | | | | |
| | 2.0 | 0.0 | 0.85 | | | | | | | |
| | | 1.6 | | | | | | | | |
| SP. 7 | 13.4 | 4.9 | 3.25 | | | | | | | |
| | 15.0 | 4.9 | 4.90 | | | | | | | |
| EC. 7 | 7.1 | 2.6 | 3.75 | | | | | | | |
| | 0.4 | 2.6 | 2.60 | | | | | | | |
| | 5.3 | 3.7 | 3.15 | | | | | | | |
| | 3.2 | 4.0 | 3.85 | | | | | | | |
| | 5.6 | 1.1 | 2.55 | | | | | | | |
| NO. 24+13 | | 1.4 | | | | | | | | |
| 取付道 | 8.0 | 0.0 | 0.70 | | | | | | | |
| | | 0.0 | | | | | | | | |
| | 11.5 | 2.9 | 1.45 | | | | | | | |
| NO. 25 | 1.0 | 2.2 | 2.55 | | | | | | | |
| IP. 8 | 2.8 | 0.4 | 1.30 | | | | | | | |
| | | 0.0 | | | | | | | | |
| 左側計 | | | | 3.2 | | | | | | |

| 土 工 計 算 書 | | | | | | | | | | |
|-----------|------|--------|-------|-------|--|----|---|--|----|---|
| 測点 | 距離 | 盛土法面整形 | | | | | | | | |
| | | L4 | 平均 | 積 | | 平均 | 積 | | 平均 | 積 |
| | | | | | | | | | | |
| (左側) | | | | | | | | | | |
| | | 0.4 | | | | | | | | |
| NO. 9 | 4.2 | 0.4 | 0.40 | | | | | | | |
| | 5.4 | 0.4 | 0.40 | 2.2 | | | | | | |
| | | | | | | | | | | |
| 左側計 | | | | 2.2 | | | | | | |
| | | | | | | | | | | |
| (右側) | | | | | | | | | | |
| | | 0.0 | | | | | | | | |
| | 1.6 | 1.0 | 0.50 | 0.8 | | | | | | |
| | 1.2 | 1.7 | 1.35 | 1.6 | | | | | | |
| NO. 10 | 3.2 | 2.1 | 1.90 | 6.1 | | | | | | |
| SP. 3 | 3.1 | 2.5 | 2.30 | 7.1 | | | | | | |
| | 1.5 | 2.7 | 2.60 | 3.9 | | | | | | |
| NO. 12 | | 0.0 | | | | | | | | |
| | 7.6 | 0.0 | 0.00 | 0.0 | | | | | | |
| NO. 13 | 12.4 | 1.6 | 0.80 | 9.9 | | | | | | |
| BC. 4 | 18.8 | 4.1 | 2.85 | 53.6 | | | | | | |
| NO. 15 | 22.7 | 6.4 | 5.25 | 119.2 | | | | | | |
| SP. 4 | 12.3 | 10.0 | 8.20 | | | | | | | |
| | 3.5 | 10.7 | 10.35 | | | | | | | |
| | 1.7 | 9.4 | 10.05 | | | | | | | |
| | 0.8 | 1.6 | 5.50 | | | | | | | |
| NO. 16 | 3.4 | 2.2 | 1.90 | | | | | | | |
| | 5.3 | 3.2 | 2.70 | | | | | | | |
| | | 0.6 | | | | | | | | |
| | 2.3 | 1.0 | 0.80 | | | | | | | |
| | 5.1 | 2.1 | 1.55 | | | | | | | |
| 右側計 | | | | 202.2 | | | | | | |
| | | | | | | | | | | |
| 左右合計 | | | | 204.4 | | | | | | |

[illegible]

| とりこわし工 計算書 | | | | | | | | | | |
|--------------|--------------------------------|-----------|-------|------|--|----|---|--|----|---|
| 測点 | 距離 | コンクリート取壊し | | | | | | | | |
| | | C (CO) | 平均 | 積 | | 平均 | 積 | | 平均 | 積 |
| NO. 9+10. 0 | | 0. 8 | | | | | | | | |
| 左側 | 3. 5 | 1. 5 | 1. 15 | 4. 0 | | | | | | |
| NO. 10+16. 0 | | 2. 3 | | | | | | | | |
| 右側 | 2. 0 | 1. 4 | 1. 85 | 3. 7 | | | | | | |
| | | 0. 2 | | | | | | | | |
| NO. 10 | 2. 7 | 0. 2 | 0. 20 | 0. 5 | | | | | | |
| SP. 3 | 3. 2 | 0. 2 | 0. 20 | 0. 6 | | | | | | |
| | 5. 4 | 0. 2 | 0. 20 | 1. 1 | | | | | | |
| | | 0. 1 | | | | | | | | |
| BC. 4 | 7. 6 | 0. 2 | 0. 15 | | | | | | | |
| | 11. 3 | 0. 1 | 0. 15 | | | | | | | |
| | | 0. 1 | | | | | | | | |
| NO. 15 | 8. 9 | 0. 1 | 0. 10 | | | | | | | |
| | 9. 0 | 0. 0 | 0. 05 | | | | | | | |
| NO. 17 | | 0. 1 | | | | | | | | |
| EC. 4 | 3. 8 | 0. 1 | 0. 10 | | | | | | | |
| NO. 18 | 16. 2 | 0. 1 | 0. 10 | | | | | | | |
| BC. 5 | 3. 8 | 0. 1 | 0. 10 | | | | | | | |
| SP. 5 | 13. 3 | 0. 2 | 0. 15 | | | | | | | |
| NO. 19 | 2. 9 | 0. 1 | 0. 15 | | | | | | | |
| EC. 5 | 10. 5 | 0. 2 | 0. 15 | | | | | | | |
| | 5. 0 | 0. 2 | 0. 20 | | | | | | | |
| SP. 11 | | 0. 1 | | | | | | | | |
| EC. 11 | 11. 7 | 0. 2 | 0. 15 | | | | | | | |
| NO. 37 | 4. 1 | 0. 2 | 0. 20 | | | | | | | |
| BC. 12 | 4. 2 | 0. 2 | 0. 20 | | | | | | | |
| | | | | | | | | | | |
| 計 | | | | 9. 9 | | | | | | |
| | | | | | | | | | | |
| 運搬 | 9. 9 | | | m3 | | | | | | |
| 産廃 | 23. 27 | | | t | | | | | | |
| | 9. 9 m3 X 2. 35 t/m3 = 23. 27t | | | | | | | | | |

表

撤去工

計 算 書

[illegible]

| 法面工（盛土面） 計算書 | | | | | | | | | | |
|--------------|------|------|-------|------|--|----|---|--|----|---|
| 測点 | 距離 | 張 芝 | | | | | | | | |
| | | L5 | 平均 | 積 | | 平均 | 積 | | 平均 | 積 |
| (右側) | | | | | | | | | | |
| | | 0.0 | | | | | | | | |
| | 1.2 | 0.7 | 0.35 | 0.4 | | | | | | |
| NO. 10 | 3.2 | 1.1 | 0.90 | 2.9 | | | | | | |
| SP. 3 | 3.1 | 1.5 | 1.30 | 4.0 | | | | | | |
| | 1.5 | 1.7 | 1.60 | 2.4 | | | | | | |
| | | 0.0 | | | | | | | | |
| NO. 13 | 12.4 | 1.6 | 0.80 | 9.9 | | | | | | |
| BC. 4 | 18.8 | 6.4 | 4.00 | 75.2 | | | | | | |
| NO. 15 | 22.7 | 7.7 | 7.05 | | | | | | | |
| SP. 4 | 12.3 | 10.0 | 8.85 | | | | | | | |
| | 3.5 | 10.7 | 10.35 | | | | | | | |
| | 1.7 | 9.4 | 10.05 | | | | | | | |
| | 0.8 | 1.6 | 5.50 | | | | | | | |
| NO. 16 | 3.4 | 2.2 | 1.90 | | | | | | | |
| | 5.3 | 3.2 | 2.70 | | | | | | | |
| | | 0.0 | | | | | | | | |
| | 5.1 | 1.1 | 0.55 | | | | | | | |
| | | 1.6 | | | | | | | | |
| BC. 6 | 2.4 | 1.4 | 1.50 | | | | | | | |
| NO. 20 | 3.3 | 0.5 | 0.95 | | | | | | | |
| | 2.5 | 0.0 | 0.25 | | | | | | | |
| | | 3.6 | | | | | | | | |
| SP. 13 | 1.0 | 3.6 | 3.60 | | | | | | | |
| NO. 39 | 7.3 | 2.6 | 3.10 | | | | | | | |
| EC. 13 | 4.6 | 1.9 | 2.25 | | | | | | | |
| | 9.8 | 0.3 | 1.10 | | | | | | | |
| | | | | | | | | | | |
| 右側計 | | | | 94.8 | | | | | | |
| | | | | | | | | | | |
| 左右合計 | | | | 94.8 | | | | | | |

| 法 面 工 計 算 書 | | | | | | | | | | |
|-------------|------|-------------|------|------|--|----|---|--|----|---|
| 測 点 | 距離 | 防草コンクリート(B) | | | | | | | | |
| | | L6 | 平均 | 積 | | 平均 | 積 | | 平均 | 積 |
| (左側) | | | | | | | | | | |
| | | 1.5 | | | | | | | | |
| NO. 9 | 4.2 | 1.5 | 1.50 | | | | | | | |
| | 5.4 | 1.5 | 1.50 | | | | | | | |
| BC. 7 | | 0.5 | | | | | | | | |
| | 5.0 | 2.2 | 1.35 | | | | | | | |
| | 0.8 | 2.2 | 2.20 | | | | | | | |
| | 2.0 | 0.5 | 1.35 | | | | | | | |
| | | | | | | | | | | |
| 左側計 | | | | 0.0 | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| (右側) | | | | | | | | | | |
| | | 0.5 | | | | | | | | |
| | 1.6 | 1.5 | 1.00 | 1.6 | | | | | | |
| NO. 10 | 4.4 | 1.5 | 1.50 | 6.6 | | | | | | |
| SP. 3 | 3.1 | 1.5 | 1.50 | 4.7 | | | | | | |
| | 1.4 | 1.5 | 1.50 | 2.1 | | | | | | |
| | | | | | | | | | | |
| NO. 12 | | 0.5 | | | | | | | | |
| | 7.6 | 1.5 | 1.00 | 7.6 | | | | | | |
| NO. 13 | 12.4 | 1.5 | 1.50 | 18.6 | | | | | | |
| BC. 4 | 18.8 | 1.5 | 1.50 | | | | | | | |

| 法 面 工 計 算 書 | | | | | | | | | | |
|-------------|------|-------------|------|---|--|----|---|--|----|---|
| 測 点 | 距離 | 防草コンクリート(B) | | | | | | | | |
| | | L6 | 平均 | 積 | | 平均 | 積 | | 平均 | 積 |
| NO. 15 | 21.9 | 1.5 | 1.50 | | | | | | | |
| SP. 4 | 11.7 | 1.5 | 1.50 | | | | | | | |
| NO. 16 | 9.0 | 1.5 | 1.50 | | | | | | | |
| | 5.1 | 1.5 | 1.50 | | | | | | | |
| | | 1.1 | | | | | | | | |
| | 2.3 | 1.5 | 1.30 | | | | | | | |
| | 5.0 | 1.5 | 1.50 | | | | | | | |
| | | 1.5 | | | | | | | | |
| BC. 6 | 2.4 | 1.5 | 1.50 | | | | | | | |
| NO. 20 | 3.5 | 1.5 | 1.50 | | | | | | | |
| | 2.5 | 1.5 | 1.50 | | | | | | | |
| | 2.8 | 0.5 | 1.00 | | | | | | | |
| | | 1.5 | | | | | | | | |
| SP. 7 | 10.5 | 1.5 | 1.50 | | | | | | | |
| EC. 7 | 17.1 | 1.5 | 1.50 | | | | | | | |
| | | 1.5 | 1.50 | | | | | | | |
| | | 1.5 | | | | | | | | |
| NO. 25 | 14.0 | 1.5 | 1.50 | | | | | | | |
| IP. 8 | 2.8 | 1.5 | 1.50 | | | | | | | |
| SP. 13 | | 1.5 | 1.50 | | | | | | | |
| NO. 39 | 7.2 | 1.5 | 1.50 | | | | | | | |
| EC. 13 | 4.5 | 1.5 | 1.50 | | | | | | | |
| | 9.8 | 1.5 | 1.50 | | | | | | | |
| NO. 40 | | 1.5 | | | | | | | | |
| | 4.7 | 1.5 | 1.50 | | | | | | | |
| | | 1.5 | | | | | | | | |
| NO. 41 | 11.2 | 1.5 | 1.50 | | | | | | | |
| BC. 14 | 19.5 | 1.5 | 1.50 | | | | | | | |
| SP. 14 | 8.5 | 1.5 | 1.50 | | | | | | | |
| EC. 14 | 8.4 | 1.5 | 1.50 | | | | | | | |
| NO. 43 | 5.1 | 1.5 | 1.50 | | | | | | | |

[illegible]

作業土工（擁壁工） 計算書

[illegible]

[illegible]

[illegible]

| 作業土工（擁壁工） 計算書 | | | | | | | | | | |
|---------------|------|------|------|------|--|----|---|--|----|---|
| 測点 | 距離 | 基面整正 | | | | | | | | |
| | | K(E) | 平均 | 積 | | 平均 | 積 | | 平均 | 積 |
| (右側) | | | | | | | | | | |
| NO. 10 | | | | | | | | | | |
| 2号呑口工 | | 1.0 | | | | | | | | |
| 取 付 | 1.1 | 1.0 | 1.00 | 1.1 | | | | | | |
| SP. 3 | | 1.0 | | | | | | | | |
| | 1.6 | 1.0 | 1.00 | 1.6 | | | | | | |
| 1号函渠取付 | | 1.6 | | | | | | | | |
| SP. 3 | 2.0 | 1.4 | 1.50 | 3.0 | | | | | | |
| | | 0.7 | | | | | | | | |
| NO. 11 | 3.1 | 0.7 | 0.70 | | | | | | | |
| EC. 3 | 12.9 | 0.7 | 0.70 | | | | | | | |
| NO. 12 | 6.7 | 0.7 | 0.70 | | | | | | | |
| NO. 13 | 20.0 | 0.7 | 0.70 | | | | | | | |
| BC. 4 | 18.8 | 0.7 | 0.70 | | | | | | | |
| NO. 15 | 23.9 | 0.7 | 0.70 | | | | | | | |
| SP. 4 | | 0.7 | 0.70 | | | | | | | |
| | 3.5 | 0.7 | 0.70 | | | | | | | |
| | | 0.7 | | | | | | | | |
| NO. 18 | 14.3 | 0.7 | 0.70 | | | | | | | |
| BC. 5 | 3.8 | 0.7 | 0.70 | | | | | | | |
| | 12.8 | 0.7 | 0.70 | | | | | | | |
| | | 0.7 | | | | | | | | |
| SP. 5 | 2.9 | 1.1 | 0.90 | | | | | | | |
| NO. 19 | 3.0 | 1.1 | 1.10 | | | | | | | |
| EC. 5 | 10.8 | 1.2 | 1.15 | | | | | | | |
| | 3.0 | 1.2 | 1.20 | | | | | | | |
| | | 0.8 | | | | | | | | |
| BC. 6 | 6.0 | 0.8 | 0.80 | | | | | | | |
| NO. 20 | 2.8 | 0.8 | 0.80 | | | | | | | |
| SP. 6 | 6.5 | 0.8 | 0.80 | | | | | | | |
| EC. 6 | 9.8 | 0.8 | 0.80 | | | | | | | |
| BC. 7 | 19.9 | 0.8 | 0.80 | | | | | | | |
| | 6.6 | 0.8 | 0.80 | | | | | | | |
| | | | | | | | | | | |
| 右側計 | | | | 5.7 | | | | | | |
| | | | | | | | | | | |
| 左右合計 | | | | 18.9 | | | | | | |

[illegible][illegible]

擁壁工・1号コンクリート 計算書

[illegible]

擁壁工・2号コンクリート 計算書

[illegible]

[illegible][illegible]

擁壁工・4号コンクリート 計算書

[illegible]

| |
|------------------|
| 擁壁工・4号コンクリート 計算書 |
|------------------|

[illegible]

作業土工（排水工） 計算書

| 測点 | 距離 | 床 堀 | | | 埋戻し | | | 基面整正 | | |
|--------|------|------|------|-----|-------|------|-----|------|------|------|
| | | E(E) | 平均 | 積 | FU(D) | 平均 | 積 | K(E) | 平均 | 積 |
| (左側) | | | | | | | | | | |
| 4号集水桝 | | | | 4.6 | | | 3.3 | | | 1.5 |
| 1号函渠 | | | | | | | | 0.8 | | |
| 1号底張 | 1.4 | | | | | | | 1.0 | 0.90 | 1.3 |
| | | 0.3 | | | 0.2 | | | 0.6 | | |
| NO. 10 | 3.0 | 0.3 | 0.30 | 0.9 | 0.2 | 0.20 | 0.6 | 0.6 | 0.60 | 1.8 |
| SP. 3 | 3.3 | 0.2 | 0.25 | 0.8 | 0.2 | 0.20 | 0.7 | 0.6 | 0.60 | 2.0 |
| NO. 11 | 17.1 | 0.2 | 0.20 | 3.4 | 0.5 | 0.35 | 6.0 | 0.6 | 0.60 | 10.3 |
| | 8.1 | 0.2 | 0.20 | 1.6 | 0.5 | 0.50 | 4.1 | 0.6 | 0.60 | 4.9 |
| 1号集水桝 | | | | 0.7 | | | 0.5 | | | 0.5 |
| 1号管渠工 | | 0.7 | | | 0.6 | | | 0.4 | | |
| | 3.5 | 0.7 | 0.70 | 2.5 | 0.6 | 0.60 | 2.1 | 0.4 | 0.40 | 1.4 |
| | | 0.3 | | | 0.6 | | | 0.6 | | |
| EC. 3 | 5.0 | 0.3 | 0.30 | 1.5 | 0.6 | 0.60 | 3.0 | 0.6 | 0.60 | 3.0 |
| NO. 12 | 6.7 | 0.3 | 0.30 | 2.0 | 0.5 | 0.55 | 3.7 | 0.6 | 0.60 | 4.0 |
| | 7.2 | 0.3 | 0.30 | 2.2 | 0.5 | 0.50 | 3.6 | 0.6 | 0.60 | 4.3 |
| 1号集水桝 | | | | | | | | | | |
| | | 0.3 | | | 0.4 | | | 0.6 | | |
| NO. 13 | 12.3 | 0.3 | 0.30 | 3.7 | 0.4 | 0.40 | 4.9 | 0.6 | 0.60 | 7.4 |
| BC. 4 | 18.8 | 0.3 | 0.30 | | 0.2 | 0.30 | | 0.6 | 0.60 | |
| NO. 15 | 20.3 | 0.3 | 0.30 | | 0.4 | 0.30 | | 0.6 | 0.60 | |
| SP. 4 | 10.7 | 0.3 | 0.30 | | 0.3 | 0.35 | | 0.6 | 0.60 | |
| NO. 16 | 8.3 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| NO. 17 | 19.2 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| EC. 4 | 3.7 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| NO. 18 | 16.2 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| BC. 5 | 3.8 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| SP. 5 | 13.0 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| NO. 19 | 2.8 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| EC. 5 | 10.2 | 0.3 | 0.30 | | 0.2 | 0.25 | | 0.6 | 0.60 | |

| 作業土工（排水工） 計算書 | | | | | | | | | | |
|---------------|------|------|------|---|-------|------|---|------|------|---|
| 測点 | 距離 | 床 堀 | | | 埋戻し | | | 基面整正 | | |
| | | E(E) | 平均 | 積 | FU(D) | 平均 | 積 | K(E) | 平均 | 積 |
| BC. 6 | 5.7 | 0.3 | 0.30 | | 0.3 | 0.25 | | 0.6 | 0.60 | |
| NO. 20 | 4.2 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| SP. 6 | 9.1 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| | 8.0 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| 1号集水桝 | | | | | | | | | | |
| | | 0.3 | | | 0.3 | | | 0.6 | | |
| EC. 6 | 4.8 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| BC. 7 | 19.9 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| | 5.5 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| NO. 18+16.0 | | 0.8 | | | 0.6 | | | 0.4 | | |
| 2号管渠工 | 5.0 | 0.8 | 0.80 | | 0.6 | 0.60 | | 0.4 | 0.40 | |
| NO. 19+2.5 | | 0.6 | | | 0.8 | | | 0.4 | | |
| 2号管渠工 | 7.0 | 0.6 | 0.60 | | 0.8 | 0.80 | | 0.4 | 0.40 | |
| NO. 19+13.0 | | 0.8 | | | 0.6 | | | 0.4 | | |
| 2号管渠工 | 5.0 | 0.8 | 0.80 | | 0.6 | 0.60 | | 0.4 | 0.40 | |
| NO. 22+8.0 | | 0.3 | | | 0.3 | | | 0.6 | | |
| | | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| EC. 7+0.5 | | 0.3 | | | 0.3 | | | 0.6 | | |
| | 7.5 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| NO. 25(左) | | | | | | | | | | |
| 取付道 | | | | | | | | | | |
| 3号集水桝 | | | | | | | | | | |
| 4号管渠工 | | 0.7 | | | 0.4 | | | 0.5 | | |
| | 10.0 | 0.7 | 0.70 | | 0.4 | 0.40 | | 0.5 | 0.50 | |
| 3号集水桝 | | | | | | | | | | |
| IP. 8 | | 0.3 | | | 0.3 | | | 0.6 | | |
| | 1.6 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| 4号管渠工 | | 1.0 | | | 0.8 | | | 0.5 | | |
| | 13.0 | 1.0 | 1.00 | | 0.8 | 0.80 | | 0.5 | 0.50 | |
| 2号集水桝 | | | | | | | | | | |
| | | 0.5 | | | 0.4 | | | 0.5 | | |

| 作業土工（排水工） 計算書 | | | | | | | | | | |
|---------------|------|------|------|---|-------|------|---|------|------|---|
| 測点 | 距離 | 床 堀 | | | 埋戻し | | | 基面整正 | | |
| | | E(E) | 平均 | 積 | FU(D) | 平均 | 積 | K(E) | 平均 | 積 |
| IP. 10 | 0.7 | 0.5 | 0.50 | | 0.4 | 0.40 | | 0.5 | 0.50 | |
| | 5.3 | 0.5 | 0.50 | | 0.4 | 0.40 | | 0.5 | 0.50 | |
| NO. 35 | | 0.4 | | | 0.3 | | | 0.5 | | |
| | 5.2 | 0.4 | 0.40 | | 0.3 | 0.30 | | 0.5 | 0.50 | |
| | 0.5 | 0.4 | 0.40 | | 0.3 | 0.30 | | 0.5 | 0.50 | |
| 1号集水桝 | | | | | | | | | | |
| | | 0.3 | | | 0.3 | | | 0.6 | | |
| BC. 11 | 11.6 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| NO. 36 | 7.3 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| SP. 11 | 4.2 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| | 9.2 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| 1号集水桝 | | | | | | | | | | |
| | | 0.3 | | | 0.2 | | | 0.6 | | |
| EC. 11 | 1.8 | 0.3 | 0.30 | | 0.2 | 0.20 | | 0.6 | 0.60 | |
| NO. 37 | 4.1 | 0.2 | 0.25 | | 0.3 | 0.25 | | 0.6 | 0.60 | |
| | 1.5 | 0.2 | 0.20 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| 1号集水桝 | | | | | | | | | | |
| NO. 35+4.8 | | 0.5 | | | 0.3 | | | 0.4 | | |
| 2号管渠工 | 8.0 | 0.5 | 0.50 | | 0.3 | 0.30 | | 0.4 | 0.40 | |
| NO. 35+18.6 | | 0.5 | | | 0.3 | | | 0.4 | | |
| 2号管渠工 | 6.0 | 0.5 | 0.50 | | 0.3 | 0.30 | | 0.4 | 0.40 | |
| | | 0.3 | | | 0.3 | | | 0.6 | | |
| SP. 12 | 2.5 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| EC. 12 | 8.4 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| BC. 13 | 2.1 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| | 9.0 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| 1号集水桝 | | | | | | | | | | |
| | | 0.3 | | | 0.3 | | | 0.6 | | |
| SP. 13 | 1.5 | 0.3 | 0.30 | | 0.3 | 0.30 | | 0.6 | 0.60 | |
| NO. 39 | 7.0 | 0.2 | 0.25 | | 0.4 | 0.35 | | 0.6 | 0.60 | |
| EC. 13 | 4.3 | 0.3 | 0.25 | | 0.4 | 0.40 | | 0.6 | 0.60 | |

[illegible]

表

排水工

計算書

[illegible]

| 計 第 表 排水工 計 算 書 | | | | | | | | | | | | | | |
|--|--------------------|------|-------------------|------|-------------------|------|-------------------|------|-------------------|------|-------------------|------|-------------------|------|
| 測 点 | 1号 U型側溝 | | 2号 U型側溝 | | 3号 U型側溝 | | 4号 U型側溝 | | 5号 U型側溝 | | 6号 U型側溝 | | I型側溝 | |
| | (L) | (R) | (L) | (R) | (L) | (R) | (L) | (R) | (L) | (R) | (L) | (R) | (L) | (R) |
| NO. 36 | 7. 3 | | | | | | | | | | | | | |
| SP. 11 | 4. 2 | | | | | | | | | | | | | |
| EC. 11 | 9. 2 | | | | | | | | | | | | | |
| | 1. 8 | | | | | | | | | | | | | |
| NO. 37 | 4. 1 | | | | | | | | | | | | | |
| BC. 12 | 1. 5 | | 2. 2 | | | | | | | | | | | |
| SP. 12 | 2. 5 | | 5. 7 | | | | | | | | | | | |
| EC. 12 | 8. 4 | | | | | | | | | | | | | |
| BC. 13 | 2. 1 | | | | | | | | | | | | | |
| SP. 13 | 9. 0 | | | | | | | | | | | | | |
| | 1. 5 | | | | | | | | | | | | | |
| NO. 39 | 7. 0 | | | | | | | | | | | | | |
| EC. 13 | 4. 3 | | | | | | | | | | | | | |
| NO. 40 | 7. 2 | | | | 8. 4 | | | | | | | | | |
| NO. 41 | | | | | 20. 0 | | | | | | | | | |
| BC. 14 | | | | | 19. 5 | | | | | | | | | |
| SP. 14 | | | | | 7. 1 | | | | | | | | | |
| EC. 14 | | | | | 7. 1 | | | | | | | | | |
| NO. 43 | | | | | 5. 1 | | | | | | | | | |
| BC. 15 | 8. 4 | | | | 7. 0 | | | | | | | | | |
| NO. 44 | 4. 8 | | | | | | | | | | | | | |
| SP. 15 | 9. 2 | | | | | | | | | | | | | |
| NO. 45 | 11. 3 | | | | | | | | | | | | | |
| EC. 15 | 2. 6 | | | | | | | | | | | | | |
| NO. 46 | 17. 5 | | | | | | | | | | | | | |
| | 1. 2 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 計 | 62. 7 | 0. 0 | 0. 0 | 0. 0 | 0. 0 | 0. 0 | 0. 0 | 0. 0 | 6. 2 | 0. 0 | 1. 5 | 0. 0 | 0. 0 | 0. 0 |
| 合計 | 62. 7 ^m | | 0. 0 ^m | | 0. 0 ^m | | 0. 0 ^m | | 6. 2 ^m | | 1. 5 ^m | | 0. 0 ^m | |
| | | | | | | | | | | | | | | |

[illegible]

[illegible]

[illegible][illegible]

作業土工・函渠工 計算書

[illegible]

(No.)

計 第 表 函 渠 工 計 算 書

[illegible]

| 車道舗装 計算書 | | | | | | | | | | |
|----------|------|------|------|------|------|------|------|------|------|------|
| 測点 | 距離 | 表 層 | | | 上層路盤 | | | 下層路盤 | | |
| | | W1 | 平均 | 積 | W2 | 平均 | 積 | W3 | 平均 | 積 |
| | | | | | | | | | | |
| NO. 9 | | 4.70 | | | 4.80 | | | 4.90 | | |
| NO. 10 | 20.0 | 4.00 | 4.35 | 87.0 | 4.10 | 4.45 | 89.0 | 4.20 | 4.55 | 91.0 |
| SP. 3 | 3.2 | 4.00 | 4.00 | 12.8 | 4.10 | 4.10 | 13.1 | 4.20 | 4.20 | 13.4 |
| NO. 11 | 16.8 | 4.01 | 4.01 | 67.4 | 4.04 | 4.07 | 68.4 | 4.09 | 4.15 | 69.7 |
| EC. 3 | 13.3 | 4.01 | 4.01 | 53.3 | 4.04 | 4.04 | 53.7 | 4.09 | 4.09 | 54.4 |
| NO. 12 | 6.7 | 4.00 | 4.01 | 26.9 | 4.10 | 4.07 | 27.3 | 4.20 | 4.15 | 27.8 |
| NO. 13 | 20.0 | 4.00 | 4.00 | 80.0 | 4.10 | 4.10 | 82.0 | 4.20 | 4.20 | 84.0 |
| BC. 4 | 18.8 | 4.50 | 4.25 | | 4.60 | 4.35 | | 4.70 | 4.45 | |
| NO. 15 | 21.2 | 6.50 | 5.50 | | 6.60 | 5.60 | | 6.70 | 5.70 | |
| SP. 4 | 11.3 | 5.70 | 6.10 | | 5.80 | 6.20 | | 5.90 | 6.30 | |
| NO. 16 | 8.7 | 6.00 | 5.85 | | 6.10 | 5.95 | | 6.20 | 6.05 | |
| NO. 17 | 20.0 | 4.50 | 5.25 | | 4.60 | 5.35 | | 4.70 | 5.45 | |
| EC. 4 | 3.8 | 4.00 | 4.25 | | 4.10 | 4.35 | | 4.20 | 4.45 | |
| NO. 18 | 16.2 | 4.01 | 4.01 | | 4.04 | 4.07 | | 4.09 | 4.15 | |
| BC. 5 | 3.8 | 4.01 | 4.01 | | 4.04 | 4.04 | | 4.09 | 4.09 | |
| SP. 5 | 13.3 | 4.00 | 4.01 | | 4.00 | 4.02 | | 4.00 | 4.05 | |
| NO. 19 | 2.9 | 4.00 | 4.00 | | 4.00 | 4.00 | | 4.00 | 4.00 | |
| EC. 5 | 10.5 | 4.00 | 4.00 | | 4.00 | 4.00 | | 4.00 | 4.00 | |
| BC. 6 | 5.7 | 4.00 | 4.00 | | 4.10 | 4.05 | | 4.20 | 4.10 | |
| NO. 20 | 3.8 | 4.00 | 4.00 | | 4.10 | 4.10 | | 4.20 | 4.20 | |
| SP. 6 | 8.3 | 4.00 | 4.00 | | 3.98 | 4.04 | | 3.94 | 4.07 | |
| EC. 6 | 12.2 | 4.00 | 4.00 | | 3.98 | 3.98 | | 3.94 | 3.94 | |
| BC. 7 | 19.9 | 4.00 | 4.00 | | 3.98 | 3.98 | | 3.94 | 3.94 | |
| SP. 7 | 19.6 | 5.00 | 4.50 | | 5.10 | 4.54 | | 5.20 | 4.57 | |
| EC. 7 | 19.6 | 5.00 | 5.00 | | 5.10 | 5.10 | | 5.20 | 5.20 | |
| NO. 25 | 20.5 | 5.00 | 5.00 | | 5.10 | 5.10 | | 5.20 | 5.20 | |
| IP. 8 | 2.8 | 5.30 | 5.15 | | 5.40 | 5.25 | | 5.50 | 5.35 | |
| 交差点 | | | | | | | | | | |
| IP. 10 | | 6.50 | | | 6.50 | | | 6.50 | | |
| | 4.0 | 6.50 | 6.50 | | 6.50 | 6.50 | | 6.50 | 6.50 | |

車道舗装

計算書

[illegible]

コンクリート舗装 計算書

[illegible]

| 計 第 表 防護柵工 計 算 書 | | | | | | | | | | | | | | |
|------------------|-------------------|-------|-------------------|---------------|----------------|-----|----------------|-------|------------|-----|-----|-----|-----|-----|
| 測 点 | ガードレール Gr-C-2B | | ガードレール Gr-C-4E | | 1号ガード レール基礎 | | 2号ガード レール基礎 | | ガード パイプ | | | | | |
| | (L) | (R) | (L) | (R) | (L) | (R) | (L) | (R) | (L) | (R) | (L) | (R) | (L) | (R) |
| NO. 9 | 3. 0 | | 4. 2 | | | | | | | | | | | |
| NO. 10 | 11. 1 | | 5. 4 | 6. 0 | | | | | | | | | | |
| SP. 3 | | | | 3. 1 | | | | | | | | | | |
| NO. 11 | | | | 1. 9 | | | | | | | | | | |
| NO. 12 | | | | | | | | | | | | | | |
| NO. 13 | | | | 20. 0 | | | | | | | | | | |
| BC. 4 | | | | 18. 8 | | | | | | | | | | |
| NO. 15 | | | | 21. 9 | | | | | | | | | | |
| SP. 4 | | | | 11. 7 | | | | | | | | | | |
| NO. 16 | | | | 9. 0 | | | | | | | | | | |
| NO. 17 | | | | 12. 0 | | | | | | | | | | |
| BC. 6 | | | | 2. 4 | | | | | | | | | | |
| NO. 20 | | | | 3. 5 | | | | | | | | | | |
| SP. 6 | | 2. 0 | | 5. 3 | | | | 2. 0 | | | | | | |
| EC. 6 | | 10. 9 | | | | | | 10. 9 | | | | | | |
| BC. 7 | | 19. 9 | | | | | | 19. 9 | | | | | | |
| SP. 7 | | 7. 1 | | 10. 5 | | | | 7. 1 | | | | | | |
| EC. 7 | | | | 17. 1 | | | | | 16. 0 | | | | | |
| NO. 25 | | | | 20. 5 | | | | | | | | | | |
| IP. 8 | | | | 2. 8 | | | | | | | | | | |
| SP. 13 | | | | | | | | | | | | | | |
| NO. 39 | | | | 7. 2 | | | | | | | | | | |
| EC. 13 | | | | 4. 5 | | | | | | | | | | |
| NO. 40 | | | | 9. 8 0. 3 | | | | | | | | | | |
| NO. 41 | | | | 4. 7 11. 2 | | | | | 20. 0 | | | | | |
| BC. 14 | | | | 19. 5 | | | | | 19. 5 | | | | | |
| SP. 4 | | | | 8. 5 | | | | | 6. 6 | | | | | |

| 雑 工 計 算 書 | | | | | | | | | | |
|------------|------|---------|------|------|--|----|---|--|----|---|
| 測 点 | 距離 | 張コンクリート | | | | | | | | |
| | | W8 | 平均 | 積 | | 平均 | 積 | | 平均 | 積 |
| (左側) | | | | | | | | | | |
| | | 1.00 | | | | | | | | |
| NO. 11 | 11.8 | 1.50 | 1.25 | 14.8 | | | | | | |
| EC. 3 | 13.6 | 1.05 | 1.28 | 17.4 | | | | | | |
| NO. 12 | 6.7 | 0.85 | 0.95 | 6.4 | | | | | | |
| NO. 13 | 20.0 | 0.65 | 0.75 | 15.0 | | | | | | |
| | 11.2 | 1.00 | 0.83 | | | | | | | |
| | | 0.65 | | | | | | | | |
| NO. 15 | 8.9 | 1.00 | 0.83 | | | | | | | |
| SP. 4 | 10.7 | 0.55 | 0.78 | | | | | | | |
| NO. 16 | 8.3 | 0.60 | 0.58 | | | | | | | |
| NO. 17 | 19.2 | 0.70 | 0.65 | | | | | | | |
| EC. 4 | 3.7 | 0.50 | 0.60 | | | | | | | |
| NO. 18 | 16.2 | 0.50 | 0.50 | | | | | | | |
| BC. 5 | 3.8 | 0.55 | 0.53 | | | | | | | |
| | 10.5 | 0.00 | 0.28 | | | | | | | |
| BC. 5+12.0 | | 1.50 | | | | | | | | |
| 坂路 | 5.3 | 1.50 | 1.50 | | | | | | | |
| | | 0.50 | | | | | | | | |
| SP. 6 | 2.5 | 0.50 | 0.50 | | | | | | | |
| EC. 6 | 13.3 | 0.70 | 0.60 | | | | | | | |
| BC. 7 | 19.9 | 0.70 | 0.70 | | | | | | | |
| | 5.5 | 0.50 | 0.60 | | | | | | | |
| | | 0.35 | | | | | | | | |
| IP. 10 | 0.7 | 0.35 | 0.35 | | | | | | | |
| NO. 35 | 10.5 | 0.30 | 0.33 | | | | | | | |
| | 5.3 | 0.50 | 0.40 | | | | | | | |
| | | 0.45 | | | | | | | | |
| SP. 12 | 2.5 | 0.45 | 0.45 | | | | | | | |
| EC. 12 | 8.4 | 0.65 | 0.55 | | | | | | | |
| BC. 13 | 2.1 | 0.45 | 0.55 | | | | | | | |

計算書

[illegible]